

Band-tailed Pigeon (btp) Harvest 2003

A post-season harvest survey was conducted by phone.

A stratified random sample of 1500 btp hunters was drawn from among HIP participants. As part of the HIP process, migratory bird hunters are asked whether they hunted btp in the previous season (2002). We then assume that they had obtained a permit to hunt btp in 2002. They are also given the opportunity to obtain a permit for the year 2003. In the last HIP cycle (4/1/03 through 3/31/04), 4609 hunters obtained a permit for 2003.

The sample is stratified to focus more heavily on repeat btp hunters or those who hunted in 2002 and obtained a permit for 2003. Hunters who did **not** hunt btp in 2002 but did obtain a 2003 permit and those who did not obtain a 2003 permit were sampled less heavily. This is the basis for the variable "btpstrat" and stratified results.

If btpstrat =1 then no permit was obtained.

If btpstrat =2 then a permit was obtained for 2003 but did not hunt in 2002.

If btpstrat= 3 then a permit was obtained for 2003 and did hunt in 2002.

1119 hunters were contacted (75% response rate).

Of those surveyed, 55 or 13% reported hunting btp (0 hunters when btpstrat=1, 10 hunters when btpstrat=2 and 45 hunters when btpstrat=3). The number of birds harvested ranged from 0 to 10.

77% reported being satisfied with their btp hunting experience.

Harvest results are provided by strata and by county. Also included is data estimating hunter numbers by county and information on the number of pigeons observed by county, dates hunted, pigeons bagged for each "bag period" (weekends vs week days) and habitat hunted.

Summary tables provide estimates of hunter numbers, days in the field and btp harvest by strata and county. Estimates are followed by the standard error of the estimate, and 95% upper (UCI) and lower (LCI) confidence intervals around the estimate. For example, the estimated number of btp hunters in Eagle County is 6 plus or minus 1.96(SE) or 1.96(3)=5. The range of the estimate is 1 to 11. Estimates of days in the field and harvest are interpreted the same way.

Statewide harvest estimate = 515 ± 239 (275 -755).

Statewide hunter number estimate= 181 ± 53 (128 - 234) .

(Compared with the 2002 estimate of 416 ± 626 birds harvested and 211 ± 153 hunters.)

03 Band-tailed Pigeon Harvest Survey Results

Band-tail Strata versus Whether Hunted

Table of btpstrat by hunt03

btpstrat	hunt03(Hunted Pigeons)		
	Yes	No	Total
Frequency			
Percent			
Row Pct			
Col Pct			
-----+-----+-----+-----			
Strata 1	0	28	28
	0.00	6.78	6.78
	0.00	100.00	
	0.00	7.82	
-----+-----+-----+-----			
Strata 2	10	112	122
	2.42	27.12	29.54
	8.20	91.80	
	18.18	31.28	
-----+-----+-----+-----			
Strata 3	45	218	263
	10.90	52.78	63.68
	17.11	82.89	
	81.82	60.89	
-----+-----+-----+-----			
Total	55	358	413
	13.32	86.68	100.00

Band-tail Strata versus Number of Days Hunted

btpstrat		dayshunt(Number of days hunted)						
Frequency								
Percent								
Row Pct								
Col Pct	0	1	2	3	4	5	Total	
Strata 1	28	0	0	0	0	0	28	
	6.78	0.00	0.00	0.00	0.00	0.00	6.78	
	100.00	0.00	0.00	0.00	0.00	0.00		
	7.82	0.00	0.00	0.00	0.00	0.00		
Strata 2	112	4	4	1	1	0	122	
	27.12	0.97	0.97	0.24	0.24	0.00	29.54	
	91.80	3.28	3.28	0.82	0.82	0.00		
	31.28	23.53	26.67	16.67	25.00	0.00		
Strata 3	218	13	11	5	3	7	263	
	52.78	3.15	2.66	1.21	0.73	1.69	63.68	
	82.89	4.94	4.18	1.90	1.14	2.66		
	60.89	76.47	73.33	83.33	75.00	100.00		
Total	358	17	15	6	4	7	413	
	86.68	4.12	3.63	1.45	0.97	1.69	100.00	

(Continued)

Table of btpstrat by dayshunt

btpstrat		dayshunt(Number of days hunted)					
Frequency							
Percent							
Row Pct							
Col Pct	6	7	8	10	15	Total	
Strata 1	0	0	0	0	0	28	
	0.00	0.00	0.00	0.00	0.00	6.78	
	0.00	0.00	0.00	0.00	0.00		
	0.00	0.00	0.00	0.00	0.00		
Strata 2	0	0	0	0	0	122	
	0.00	0.00	0.00	0.00	0.00	29.54	
	0.00	0.00	0.00	0.00	0.00		
	0.00	0.00	0.00	0.00	0.00		
Strata 3	1	2	1	1	1	263	
	0.24	0.48	0.24	0.24	0.24	63.68	
	0.38	0.76	0.38	0.38	0.38		
	100.00	100.00	100.00	100.00	100.00		

	1	2	1	1	1	413
Total	0.24	0.48	0.24	0.24	0.24	100.00

Band-tail Strata versus Other Variables

The MEANS Procedure

btpstrat	N		Variable	Label	N	Mean
	Obs					
Strata 1	28		dayshunt	Number of days hunted	28	0
			bagged	Birds bagged	28	0
			noretr	Birds lost	28	0
			observed	Birds Observed	28	0
Strata 2	122		dayshunt	Number of days hunted	122	0.1557377
			bagged	Birds bagged	122	0.0737705
			noretr	Birds lost	122	0.0163934
			observed	Birds Observed	122	0.9016393
Strata 3	263		dayshunt	Number of days hunted	263	0.5703422
			bagged	Birds bagged	263	0.1901141
			noretr	Birds lost	263	0.0190114
			observed	Birds Observed	263	2.8365019

btpstrat	N		Variable	Label	Std Dev	Minimum
	Obs					
Strata 1	28		dayshunt	Number of days hunted	0	0
			bagged	Birds bagged	0	0
			noretr	Birds lost	0	0
			observed	Birds Observed	0	0
Strata 2	122		dayshunt	Number of days hunted	0.5894456	0
			bagged	Birds bagged	0.3892785	0
			noretr	Birds lost	0.1275067	0
			observed	Birds Observed	3.7403536	0
Strata 3	263		dayshunt	Number of days hunted	1.7059043	0
			bagged	Birds bagged	0.9932872	0
			noretr	Birds lost	0.2040145	0
			observed	Birds Observed	13.5688757	0

btpstrat	N		Variable	Label	Maximum
	Obs				
Strata 1	28		dayshunt	Number of days hunted	0
			bagged	Birds bagged	0
			noretr	Birds lost	0
			observed	Birds Observed	0
Strata 2	122		dayshunt	Number of days hunted	4.0000000

Band-tail Strata versus Other Variables

btpstrat	N		Label	Maximum
	Obs	Variable		
Strata 2	122	bagged	Birds bagged	3.0000000
		noretr	Birds lost	1.0000000
		observed	Birds Observed	25.0000000
Strata 3	263	dayshunt	Number of days hunted	15.0000000
		bagged	Birds bagged	10.0000000
		noretr	Birds lost	3.0000000
		observed	Birds Observed	150.0000000

Band-tail Strata versus Days Hunted

btpstrat	Number of days hunted	SE(Days Hunted)	LCI(Days Hunted)	UCI(Days Hunted)
Strata 1	0	0	0	0
Strata 2	483	156	178	788
Strata 3	858	115	633	1082
State Total	1341	193	962	1719

Band-tail Strata versus Birds Bagged

btpstrat	Birds bagged	SE(Bagged)	LCI (Bagged)	UCI (Bagged)
Strata 1	0	0	0	0
Strata 2	229	103	27	430
Strata 3	286	67	155	417
State Total	515	122	275	755

Band-tail Strata versus Birds Not Retrieved

btpstrat	Birds Lost	SE(Lost)	LCI (Lost)	UCI (Lost)
Strata 1	0	0	0	0
Strata 2	51	34	-15	117
Strata 3	29	14	2	55

State Total	79	14	53	106
-------------	----	----	----	-----

Dates Hunted

datehunt	Frequency	Percent	Cumulative Frequency	Cumulative Percent
01SEP03	9	18.75	9	18.75
02SEP03	6	12.50	15	31.25
03SEP03	3	6.25	18	37.50
04SEP03	1	2.08	19	39.58
05SEP03	4	8.33	23	47.92
06SEP03	5	10.42	28	58.33
07SEP03	6	12.50	34	70.83
08SEP03	4	8.33	38	79.17
12SEP03	1	2.08	39	81.25
13SEP03	5	10.42	44	91.67
14SEP03	2	4.17	46	95.83
20SEP03	1	2.08	47	97.92
27SEP03	1	2.08	48	100.00

Bag Period Hunted

Variable	Label	Sum	Minimum	Maximum
bagper1	Bagged Sep 1-5	11.0000000	0	5.0000000
bagper2	Bagged Sep 6-7	20.0000000	0	5.0000000
bagper3	Bagged Sep 8-12	12.0000000	0	10.0000000
bagper4	Bagged Sep 13-14	13.0000000	0	7.0000000
bagper5	Bagged Sep 15-19	0	0	0
bagper6	Bagged Sep 20-21	3.0000000	0	2.0000000
bagper7	Bagged Sep 22-26	0	0	0
bagper8	Bagged Sep 27-28	0	0	0
bagper9	Bagged Sep 29-30	0	0	0

Reported Harvest per Bag Period

Obs	DateBagged	bagperday
1	Bagged Sep 1-5	11
2	Bagged Sep 6-7	20
3	Bagged Sep 8-12	12
4	Bagged Sep 13-14	13
5	Bagged Sep 15-19	0
6	Bagged Sep 20-21	3
7	Bagged Sep 22-26	0
8	Bagged Sep 27-28	0
9	Bagged Sep 29-30	0

03 Band-tailed Pigeon Harvest Survey Results
Hunters by County

County	Number of Hunters	SE(Hunters)	95% LCI	95% UCI
Alamosa	9	8	-7	25
Archuleta	2	2	-1	5
Boulder	2	2	-1	5
Chaffee	11	8	-5	27
Conejos	9	8	-7	25
Custer	2	2	-1	5
Delta	13	8	-4	29
Eagle	6	3	1	11
Elbert	2	2	-1	5
El Paso	2	2	-1	5
Fremont	2	2	-1	5
Garfield	2	2	-1	5
Grand	2	2	-1	5
Huerfano	2	2	-1	5
Jackson	4	2	-0	8
Jefferson	2	2	-1	5
La Plata	2	2	-1	5
Larimer	23	9	6	41
Las Animas	4	2	-0	8
Mesa	4	2	-0	8
Moffat	9	8	-7	25
Montezuma	2	2	-1	5
Montrose	2	2	-1	5
Pitkin	4	2	-0	8
Pueblo	11	8	-5	27
Routt	9	8	-7	25
Saguache	2	2	-1	5
San Miguel	2	2	-1	5
Summit	2	2	-1	5
Teller	6	3	1	11
Unknown	26	12	2	49
State Total	181	27	128	234

03 Band-tailed Pigeon Harvest Survey Results
Summary by Counties

County	Hunters	SE(Hunters)	LCI (Hunters)	UCI (Hunters)	Days Hunted
Alamosa	9	8	-7	25	17
Archuleta	2	2	-1	5	4
Boulder	2	2	-1	5	11
Chaffee	11	8	-5	27	39
Conejos	9	8	-7	25	17
Custer	2	2	-1	5	2
Delta	13	8	-4	29	45
Eagle	6	3	1	11	21
Elbert	2	2	-1	5	2
El Paso	2	2	-1	5	17
Fremont	2	2	-1	5	8
Garfield	2	2	-1	5	4
Grand	2	2	-1	5	4

SE(Days Hunted)	LCI(Days Hunted)	UCI(Days Hunted)	Estimated Harvest	SE(Harvest)	LCI (Harvest)
16	-15	49	9	8	-7
3	-2	10	4	3	-2
8	-4	25	0	0	0
33	-25	103	26	24	-22
16	-15	49	17	16	-15
2	-1	5	0	0	0
27	-8	97	0	0	0
9	3	39	21	12	-2
2	-1	5	0	0	0
12	-7	41	0	0	0
6	-4	20	11	8	-4
3	-2	10	0	0	0
3	-2	10	0	0	0

UCI (Harvest)	Not Retrieved	SE(Not Ret.)	LCI(Not. Ret.)	UCI(Not. Ret.)
25	0	0	0	0
10	0	0	0	0
0	0	0	0	0
74	0	0	0	0
49	9	8	-7	25
0	0	0	0	0
0	0	0	0	0
44	0	0	0	0
0	0	0	0	0
0	0	0	0	0
25	2	2	-1	5
0	0	0	0	0

0

0

0

0

0

(Con't)

County	Hunters	SE(Hunters)	LCI (Hunters)	UCI (Hunters)	Days Hunted
Huerfano	2	2	-1	5	2
Jackson	4	2	-0	8	4
Jefferson	2	2	-1	5	4
La Plata	2	2	-1	5	8
Larimer	23	9	6	41	49
Las Animas	4	2	-0	8	13
Mesa	4	2	-0	8	25
Moffat	9	8	-7	25	17
Montezuma	2	2	-1	5	8
Montrose	2	2	-1	5	32
Pitkin	4	2	-0	8	25
Pueblo	11	8	-5	27	15
Routt	9	8	-7	25	17

SE(Days Hunted)	LCI(Days Hunted)	UCI(Days Hunted)	Estimated Harvest	SE(Harvest)	LCI (Harvest)
2	-1	5	0	0	0
2	-0	8	2	2	-1
3	-2	10	0	0	0
6	-4	20	6	5	-3
15	19	78	53	20	13
8	-3	28	0	0	0
13	-0	51	0	0	0
16	-15	49	0	0	0
6	-4	20	4	3	-2
23	-13	76	0	0	0
16	-5	56	21	15	-9
9	-3	33	9	8	-7
16	-15	49	0	0	0

UCI (Harvest)	Not Retrieved	SE(Not Ret.)	LCI(Not. Ret.)	UCI(Not. Ret.)
0	0	0	0	0
5	0	0	0	0
0	0	0	0	0
15	0	0	0	0
93	9	8	-7	25
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
10	0	0	0	0
0	0	0	0	0
51	2	2	-1	5
25	0	0	0	0
0	0	0	0	0

(Con't)

County	Hunters	SE(Hunters)	LCI (Hunters)	UCI (Hunters)	Days Hunted
Saguache	2	2	-1	5	6
San Miguel	2	2	-1	5	4
Summit	2	2	-1	5	13
Teller	6	3	1	11	6
Unknown	26	12	2	49	38

SE(Days Hunted)	LCI(Days Hunted)	UCI(Days Hunted)	Estimated Harvest	SE(Harvest)	LCI (Harvest)
5	-3	15	0	0	0
3	-2	10	0	0	0
9	-5	31	0	0	0
3	1	11	0	0	0
15	10	67	0	0	0

UCI (Harvest)	Not Retrieved	SE(Not Ret.)	LCI(Not. Ret.)	UCI(Not. Ret.)
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	6	5	-3	15

Habitat Types Where BT Pigeons Were Observed

habitat	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Forest	20	47.62	20	47.62
Feedlots	3	7.14	23	54.76
Agricultural Fields	5	11.90	28	66.67
Shrubland	14	33.33	42	100.00

Hunter Satisfaction Levels

satisfy	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Strongly Dis.	1	1.82	1	1.82
Somewhat Dis.	6	10.91	7	12.73
Slightly Dis.	4	7.27	11	20.00
Neutral	1	1.82	12	21.82
Slightly Sat.	8	14.55	20	36.36
Somewhat Sat.	19	34.55	39	70.91
Strongly Sat.	16	29.09	55	100.00

BT Pigeons Observed by County

The MEANS Procedure

Analysis Variable : observed Birds Observed

county	N Obs	Mean	Minimum	Maximum	Sum
Alamosa	1	1.0000000	1.0000000	1.0000000	1.0000000
Archuleta	1	25.0000000	25.0000000	25.0000000	25.0000000
Boulder	1	10.0000000	10.0000000	10.0000000	10.0000000
Chaffee	2	8.5000000	2.0000000	15.0000000	17.0000000
Conejos	1	25.0000000	25.0000000	25.0000000	25.0000000
Custer	1	5.0000000	5.0000000	5.0000000	5.0000000
Delta	3	0.3333333	0	1.0000000	1.0000000
Eagle	3	33.3333333	0	50.0000000	100.0000000
Elbert	1	0	0	0	0
El Paso	1	50.0000000	50.0000000	50.0000000	50.0000000
Fremont	1	150.0000000	150.0000000	150.0000000	150.0000000
Garfield	1	0	0	0	0

Grand	1	0	0	0	0
Huerfano	1	12.0000000	12.0000000	12.0000000	12.0000000
Jackson	2	2.0000000	1.0000000	3.0000000	4.0000000
Jefferson	1	2.0000000	2.0000000	2.0000000	2.0000000
La Plata	1	12.0000000	12.0000000	12.0000000	12.0000000
Larimer	8	23.1250000	0	60.0000000	185.0000000
Las Animas	2	15.0000000	0	30.0000000	30.0000000
Mesa	2	0.5000000	0	1.0000000	1.0000000
Moffat	1	10.0000000	10.0000000	10.0000000	10.0000000

county	N Obs	Mean	Minimum	Maximum	Sum
Montezuma	1	30.0000000	30.0000000	30.0000000	30.0000000
Montrose	1	0	0	0	0
Pitkin	2	53.0000000	6.0000000	100.0000000	106.0000000
Pueblo	2	12.0000000	4.0000000	20.0000000	24.0000000
Routt	1	4.0000000	4.0000000	4.0000000	4.0000000
Saguache	1	0	0	0	0
San Miguel	1	0	0	0	0
Summit	1	0	0	0	0
Teller	3	4.0000000	0	12.0000000	12.0000000
Unknown	6	6.6666667	0	20.0000000	40.0000000

Table of County by Birds Observed

county	observed(Birds Observed)						
Frequency Row Pct	0	1	2	3	4	5	Total
Alamosa	0 0.00	1 100.00	0 0.00	0 0.00	0 0.00	0 0.00	1
Archuleta	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
Boulder	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
Chaffee	0 0.00	0 0.00	1 50.00	0 0.00	0 0.00	0 0.00	2
Conejos	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
Custer	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1 100.00	1
Delta	2 66.67	1 33.33	0 0.00	0 0.00	0 0.00	0 0.00	3
Eagle	1 33.33	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	3
Elbert	1 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
El Paso	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
Fremont	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
Total (Continued)	19	4	2	1	2	1	55

county	observed(Birds Observed)						
Frequency Row Pct	0	1	2	3	4	5	Total
Garfield	1 100.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
Grand	1	0	0	0	0	0	1

Summit	1	0	0	0	0	0	1
	100.00	0.00	0.00	0.00	0.00	0.00	
Teller	2	0	0	0	0	0	3
	66.67	0.00	0.00	0.00	0.00	0.00	
Unknown	3	0	0	0	0	0	6
	50.00	0.00	0.00	0.00	0.00	0.00	
Total	19	4	2	1	2	1	55
(Continued)							

county observed(Birds Observed)

Frequency	6	10	12	15	20	25	Total
Row Pct							
Alamosa	0	0	0	0	0	0	1
	0.00	0.00	0.00	0.00	0.00	0.00	
Archuleta	0	0	0	0	0	1	1
	0.00	0.00	0.00	0.00	0.00	100.00	
Boulder	0	1	0	0	0	0	1
	0.00	100.00	0.00	0.00	0.00	0.00	
Chaffee	0	0	0	1	0	0	2
	0.00	0.00	0.00	50.00	0.00	0.00	
Conejos	0	0	0	0	0	1	1
	0.00	0.00	0.00	0.00	0.00	100.00	
Custer	0	0	0	0	0	0	1
	0.00	0.00	0.00	0.00	0.00	0.00	
Delta	0	0	0	0	0	0	3
	0.00	0.00	0.00	0.00	0.00	0.00	
Eagle	0	0	0	0	0	0	3
	0.00	0.00	0.00	0.00	0.00	0.00	
Elbert	0	0	0	0	0	0	1
	0.00	0.00	0.00	0.00	0.00	0.00	
El Paso	0	0	0	0	0	0	1
	0.00	0.00	0.00	0.00	0.00	0.00	
Fremont	0	0	0	0	0	0	1
	0.00	0.00	0.00	0.00	0.00	0.00	
Total	1	4	3	2	4	2	55
(Continued)							

county observed(Birds Observed)

Frequency Row Pct	6	10	12	15	20	25	Total
Garfield	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
Grand	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
Huerfano	0 0.00	0 0.00	1 100.00	0 0.00	0 0.00	0 0.00	1
Jackson	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	2
Jefferson	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
La Plata	0 0.00	0 0.00	1 100.00	0 0.00	0 0.00	0 0.00	1
Larimer	0 0.00	0 0.00	0 0.00	1 12.50	2 25.00	0 0.00	8
Las Animas	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	2
Mesa	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	2
Moffat	0 0.00	1 100.00	0 0.00	0 0.00	0 0.00	0 0.00	1
Montezuma	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
Total (Continued)	1	4	3	2	4	2	55

county observed(Birds Observed)

Frequency Row Pct	6	10	12	15	20	25	Total
Montrose	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	1
Pitkin	1 50.00	0 0.00	0 0.00	0 0.00	0 0.00	0 0.00	2
Pueblo	0 0.00	0 0.00	0 0.00	0 0.00	1 50.00	0 0.00	2
Routt	0	0	0	0	0	0	1

Jackson	0	0	0	0	0	0	2
	0.00	0.00	0.00	0.00	0.00	0.00	
Jefferson	0	0	0	0	0	0	1
	0.00	0.00	0.00	0.00	0.00	0.00	
La Plata	0	0	0	0	0	0	1
	0.00	0.00	0.00	0.00	0.00	0.00	
Larimer	1	1	0	1	0	0	8
	12.50	12.50	0.00	12.50	0.00	0.00	
Las Animas	1	0	0	0	0	0	2
	50.00	0.00	0.00	0.00	0.00	0.00	
Mesa	0	0	0	0	0	0	2
	0.00	0.00	0.00	0.00	0.00	0.00	
Moffat	0	0	0	0	0	0	1
	0.00	0.00	0.00	0.00	0.00	0.00	
Montezuma	1	0	0	0	0	0	1
	100.00	0.00	0.00	0.00	0.00	0.00	
Total	3	1	3	1	1	1	55
(Continued)							

county observed(Birds Observed)

Frequency	30	40	50	60	100	150	Total
Row Pct							
Montrose	0	0	0	0	0	0	1
	0.00	0.00	0.00	0.00	0.00	0.00	
Pitkin	0	0	0	0	1	0	2
	0.00	0.00	0.00	0.00	50.00	0.00	
Pueblo	0	0	0	0	0	0	2
	0.00	0.00	0.00	0.00	0.00	0.00	
Routt	0	0	0	0	0	0	1
	0.00	0.00	0.00	0.00	0.00	0.00	
Saguache	0	0	0	0	0	0	1
	0.00	0.00	0.00	0.00	0.00	0.00	
San Miguel	0	0	0	0	0	0	1
	0.00	0.00	0.00	0.00	0.00	0.00	
Summit	0	0	0	0	0	0	1
	0.00	0.00	0.00	0.00	0.00	0.00	
Teller	0	0	0	0	0	0	3

	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Unknown	0	0	0	0	0	0	0
	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	3	1	3	1	1	1	1

6

55