

COLORADO PARKS AND WILDLIFE RAPTOR FACILITY INSPECTION

Date of Inspection _____ Inspected by _____

Falconer's Name _____ Address _____

Phone (home) _____ (work) _____ (cell) _____

Location of facilities (if different from above) _____

PLEASE CHECK ALL THE REASONS BELOW THAT APPLY:

Initial Re-inspection Periodic Moved to New Location Changed Facilities Other: _____

I. INDOOR FACILITIES

- * Large enough to allow easy access to care for the bird(s) housed in the facility
- * Adequate partitions or tethers if more than one bird is housed in the mews / allows for full wing extension of each bird
- * One or more openings with inside vertical bars spaced narrower than the width of the bird's body
- * Direct sunlight exposure and adequate fresh air ventilation (**outdoor facilities NOT required if present**)
- * Secure door that can easily be closed
- Floor of mews permits easy cleaning – material: _____
- Floor of mews well drained
- * Suitable perches are provided for each bird Screen perch Shelf perch Other _____

OUTDOOR FACILITIES (weathering area)

- N/A – indoor facilities provide direct sunlight exposure and adequate fresh air ventilation – outdoor facilities not needed
- * Totally enclosed (covered with netting or wire, OR roofed)
- * Constructed of heavy-gauge wire, heavy-duty plastic mesh, slats, pipe, wood, or other suitable material
- * Enclosed area is large enough to ensure bird(s) cannot strike the enclosure when flying from the perch
- * A covered perch is provided for each bird Bow perch Shelf perch Other _____
- Locking door

II. ADDITIONAL REQUIREMENTS

- * Jesses - at least one pair of Alymeri or similar type
- * Leashes and swivels - at least one of each
- * Bath container - if practical, at least one pan of clean water must be provided for each bird
- * Weighing device - reliable scale or balance which is graduated to increments of not more than 1/2 ounce (15 grams)

* Regulatory requirements per #605B., 605C., 605D.

III. BIRDS IN POSSESSION (None at this time)

Species	Sex	Band Number

FACILITIES: Approved Not Approved Re-inspection Pending

DWM Signature _____ Date _____

Do the inspected facilities protect the raptor(s) from the environment (including extreme temperatures and wind), predators, domestic animals and excessive disturbance as is required by #605B.? YES NO

NOTES: