

# Literature Cited

---

- Agouridis, C.T., S.R. Workman, R.C. Warner, and G.D. Jennings. 2005. Livestock grazing management impacts on stream water quality: a review. *Journal of the American Water Resources Association* 41:591-606.
- Allen, C.D., M. Savage, D.A. Falk, K.F. Suckling, T.W. Swetnam, T. Schulke, P.B. Stacey, P. Morgan, M. Hoffman, and J.T. Klingel. 2002. Ecological restoration of southwestern ponderosa pine ecosystems: a broad perspective. *Ecological Applications* 12:1418-1433.
- Allen, E.B., R.J. Steers, and S.J. Dickens. 2011. Impacts of fire and invasive species on desert soil ecology. *Rangeland Ecology and Management* 64:450-462.
- Allendorf, F.W., and R.F. Leary. 1988. Conservation and distribution of genetic variation in a polytypic species, the cutthroat trout. *Conservation Biology* 2:170-184.
- Alves, J. 1997a. San Luis Creek fish kill report. Unpublished report, Colorado Parks and Wildlife, Monte Vista, CO.
- Alves, J. 1997b. Rio Grande 1, Annual Fish Survey Project Report. Colorado Parks and Wildlife, Monte Vista, CO.
- Alves, J.E., K.A. Patten, D.E. Brauch, and P.M. Jones. 2008. Range-wide status report of Rio Grande cutthroat trout (*Oncorhynchus clarki virginalis*): 2008. Colorado Parks and Wildlife, Denver, CO.
- Anderson, M.S., H.W. Lakin, K.C. Beeson, F.F. Smith, and E.J. Thacker. 1961. Selenium in agriculture. In: *Agriculture Handbook No. 200*. U.S. Department of Agriculture, Washington, DC.
- Anderson, R.M. and G. Stewart. 2003. Riverine fish flow investigations. Biologically based instream flow recommendations for the Yampa River, the Colorado River in the 15-mile reach, and the Dolores River. Final Report to CPW, Federal Aid Project F-289-R6, Fort Collins, CO.
- Anderson, R. M. and G. Stewart. 2007. Fish-Flow Investigation: II. Impacts of stream flow alterations on the native fish assemblage and their habitat availability as determined by 2D modeling and the use of fish population data to support instream flow recommendations for

the sections of the Yampa, Colorado, Gunnison and Dolores Rivers in Colorado. Colorado Parks and Wildlife Special Report No. 80, DOW-R-S-80-07, Fort Collins, CO.

Armour, C., D. Duff, and W. Elmore. 1994. The effects of livestock grazing on western riparian and stream ecosystem. *Fisheries* 19:9-12.

Armstrong, D.M., J.P. Fitzgerald, and C.A. Meaney. 2011. *Mammals of Colorado*, 2nd edition. Denver Museum of Nature and Science and University Press of Colorado, Boulder, CO.

Association of Fish and Wildlife Agencies [AFWA], Teaming With Wildlife Committee, State Wildlife Action Plan (SWAP) Best Practices Working Group. 2012. *Best Practices for State Wildlife Action Plans—Voluntary Guidance to States for Revision and Implementation*. Washington (DC): Association of Fish and Wildlife Agencies. 80 pages. Available: <http://www.teaming.com> & <http://www.fishwildlife.org>

Augustine, D.J. and J.D. Derner. 2012. Disturbance regimes and Mountain Plover habitat in shortgrass steppe: large herbivore grazing does not substitute for prairie dog grazing or fire. *Journal of Wildlife Management* 76:721-728.

Austin, M. 1998. Wolverine winter travel routes and response to transportation corridors in Kicking Horse Pass between Yoho and Banff National Parks. Thesis, University of Calgary, Alberta, Canada.

Ayre, K.K., C.A. Caldwell, J. Stinson, and W.G. Landis. 2014. Analysis of regional scale risk of whirling disease in populations of Colorado and Rio Grande cutthroat trout using a Bayesian belief network model. *Risk Analysis* 34: 1589-1605.

Baines, D. 1996. The implications of grazing and predator management on the habitats and breeding success of black grouse *Tetrao tetrix*. *Journal of Applied Biology* 33:54-62.

Baker, W.L. 1992. Structure, disturbance, and change in the bristlecone pine forests of Colorado, U.S.A. *Arctic and Alpine Research* 24: 17-26.

Baker, D.W., B.P. Bledsoe, C.M. Albano, and N.L. Poff. 2011. Downstream effects of diversion dams on sediment and hydraulic conditions of Rocky Mountain Streams. *River Research and Applications* 27:388-401.

Barger, N.N., H.D. Adams; C. Woodhouse, J.C. Neff, and G.P. Asner. 2009. Influence of livestock grazing and climate on piñon pine (*Pinus edulis*) dynamics. *Rangeland Ecology and Management* 62:531–539.

- Bartelt, P.E. 1998. Bofo boreas: mortality. *Herpetological Review* 29:96.
- Beatty, R.J., F.J. Rahel, and W.A. Hubert. 2009. Complex influences of low-head dams and artificial wetlands on fishes in a Colorado River tributary system. *Fisheries Management and Ecology* 16:457-467.
- Behnke, R.J. 1992. Native trout of western North America. American Fisheries Society Monograph 6.
- Behnke, R.J. 2002. Trout and salmon of North America. Free Press, New York, NY.
- Belica, L.T. and N.P. Nibbelink. 2006. Mountain Sucker (*Catostomus platyrhynchus*): a technical conservation assessment. USDA Forest Service, Rocky Mountain Region, Lakewood, CO.
- Belsky, A.J., A. Matzke, and S. Uselman. 1999. Survey of livestock influences on stream and riparian ecosystems in the western United States. *Journal of Soil and Water Conservation* 54:419-431.
- Berger, L., R. Speare, P. Daszak, D.E. Green, A.A. Cunningham, C.L. Goggin, R. Slocombe, M.A. Ragan, A.D. Hyatt, K.R. McDonald, H.B. Hines, K.R. Lips, G. Marantelli, and H. Parkes. 1998. Chytridiomycosis causes amphibian mortality associated with population declines in the rain forests of Australia and Central America. *Proceedings of the National Academy of Science* 95:9031-9036.
- Beschta, R.L., D.L. Donahue, D.A. DellaSala, J.J. Rhodes, J.R. Karr, M.H. O'Brien, T.L. Fleischner, and C.D. Williams. 2013. Adapting to climate change on western public lands: addressing the ecological effects of domestic, wild, and feral ungulates. *Environmental Management* 51:474-491.
- Bestgen, K.R. 1989. Distribution and notes on the biology of *Phoxinus eos* (Cyprinidae) in Colorado. *Southwestern Naturalist* 34:225-231.
- Bestgen, K.R., R.I. Compton, K.A. Zelasko, and J.E. Alves. 2003. Distribution and status of Rio Grande chub in Colorado. Contribution 135, Larval Fish Laboratory, Colorado State University, Fort Collins, CO.
- Bestgen, K.R., K.A. Zelasko, and R.I. Compton. 2003. Environmental factors limiting suckermouth minnow *Phenacobius mirabilis* populations in Colorado: Contribution 136, Larval Fish Laboratory, Colorado State University, Fort Collins, CO.

- Bestgen, K.R., K.A. Zelasko, and R.I. Compton. 2006. Response of the Green River fish community to changes in flow and temperature regimes from Flaming Gorge Dam since 1996 based on sampling conducted from 2002 to 2004. Final Report, Colorado River Recovery Implementation Program Project Number 115, Contribution 144, Larval Fish Laboratory, Colorado State University, Fort Collins, CO.
- Bestgen, K.R., D.W. Beyers, J.A. Rice & G.B. Haines. 2006. Factors affecting recruitment of young Colorado pikeminnow: synthesis of predation experiments, field studies, and individual-based modeling. *Transactions of the American Fisheries Society* 135:1722-1742.
- Bestgen, K.R., P. Budy, and W.J. Miller. 2011. Status and trends of flannelmouth sucker *Catostomus lapipinnis*, bluehead sucker *Catostomus discobolus*, and roundtail chub *Gila robusta*, in the Dolores River, Colorado, and opportunities for population improvement: Phase II report. Prepared for Lower Dolores Plan Working Group. Available: [http://warnercnr.colostate.edu/docs/fwcb/lfl/PDF/LFL-166-Bestgen\\_et\\_al-2011-Rpt.pdf](http://warnercnr.colostate.edu/docs/fwcb/lfl/PDF/LFL-166-Bestgen_et_al-2011-Rpt.pdf).
- Bestgen, K.R., K.B. Rogers, and R. Granger. 2013. Phenotype predicts genotype for lineages of native cutthroat trout in the Southern Rocky Mountains. Final Report to U. S. Fish and Wildlife Service, Colorado Field Office, Denver Federal Center (MS 65412), Denver, CO. Larval Fish Laboratory Contribution 177.
- Bestgen, K.R., H.J. Crockett, and H.P. Foutz. 2013. Historical distribution and status of southern redbelly dace *Chrosomus erythrogaster* in the Arkansas River Basin, Colorado. *Southwestern Naturalist* 58:465-469.
- Bezzerrides, N. and K.R. Bestgen. 2002. Status review of roundtail chub *Gila robusta*, flannelmouth sucker *Catostomus latipinnis*, and bluehead sucker *Catostomus discobolus* in the Colorado River Basin. Final report submitted to Bureau of Reclamation, Salt Lake City, Utah. Contribution 118, Larval Fish Laboratory, Colorado State University, Fort Collins, CO.
- Blaisdell, J.P, and R.C. Holmgren. 1984. Managing intermountain rangelands – Salt-desert shrub ranges. Generat Technical Report INT-163, USDA Forest Service, Intermountain Forest and Range Experiment Station, Ogden, UT.
- Blaustein, A.R., L.K. Beldon, D.H. Olson, D.M. Green, T.L. Root, and J.M. Kiesecker. 2001. Amphibian breeding and climate change. *Conservation Biology* 15:1804-1809.

- Bock, C.E., J.H. Bock, W.R. Penney, and V.M. Hawthorne. 1984. Responses of birds, rodents, and vegetation to livestock exclosure in a semidesert grassland site. *Journal of Range Management* 37:239-242
- Bock, C.E., V.A. Saab, T.D. Rich, and D.S. Dobkin. 1993. Effects of livestock grazing on neotropical migratory landbirds in western North America. Pp. 296–309 in *Status and management of Neotropical migratory birds*, D.M. Finch and P.W. Stangel eds. USDA Forest Service, Gen. Tech. Rept. RM-229.
- Bock, J.H. and C.E. Bock. 1998. Tallgrass prairie: remnants and relicts. *Great Plains Research: A Journal of Natural and Social Sciences*, p. 399.
- Boeker, E.L. 1974. Status of Golden Eagle surveys in the western states. *Wildlife Society Bulletin* 2:46-49.
- Bogan, M.A. and T.R. Mollhagen. 2010. Resurvey for bats (Chiroptera) at Dinosaur National Monument, Colorado/Utah, 2008-2009. Department of Biology, University of New Mexico, Albuquerque, NM, and Natural History Associates, Lubbock, TX.
- Bonner, T.H. and G.R. Wilde. 2000. Changes in the Canadian River fish assemblage associated with reservoir construction. *Journal of Freshwater Ecology* 15:189–198.
- Bonner, T.H. and G.R. Wilde. 2002. Effects of turbidity on prey consumption by prairie stream fishes. *Transactions of the American Fisheries Society* 131:1203-1208.
- Bouchard, J., A.T. Ford, F.E. Eigenbrod, and L. Fahrig. 2009. Behavioral responses of northern leopard frogs (*Rana pipiens*) to roads and traffic: Implications for population persistence. *Ecology and Society* 14:23.
- Bradley, B.A. 2010. Assessing ecosystem threats from global and regional change: hierarchical modeling of risk to sagebrush ecosystems from climate change, land use and invasive species in Nevada, USA. *Ecography* 33:198-208.
- Bramblett, R.G. and K.D. Fausch. 1991. Fishes, macroinvertebrates, and aquatic habitats of the Purgatoire River in Piñon Canyon, Colorado. *Southwestern Naturalist* 36:281-294.
- Braun, C.E., R.B. Davies, J.R. Dennis, K.A. Green, and J.L. Sheppard. 1992. Plains Sharp-tailed Grouse recovery plan. Colorado Parks and Wildlife, Denver, CO.

- Brown, H.E. 1958. Gambel oak in west-central Colorado. *Ecology* 39:317-327.
- Brown, D.K., A.A. Echelle, D.L. Propst, J.E. Brooks, and W.L. Fisher. 2001. Catastrophic wildfire and number of populations as factors influencing risk of extinction for Gila trout (*Oncorhynchus gilae*). *Western North American Naturalist* 61: 139-148.
- Brown, D.J., A. Duarte, I. Mali, C. Jones and M.R.J. Forstner. 2014. Potential impacts of a high density wildfire on abundance, movement, and diversity of herpetofauna in the Lost Pines ecoregion of Texas. *Herpetological Conservation and Biology* 9:192-205.
- Budy, P., M.M. Conner, N.L. Salant, and W. Macfarlane. 2013. Occupancy-based assessment of regional vulnerability of endemic desert fishes: a template for conservation actions. *Conservation Biology* UCFWRU 2013:1-37.
- Bunn, S.E. and A.H. Arthington. 2002. Basic principles and ecological consequences of altered flow regimes for aquatic biodiversity. *Environmental Management* 30:492-507.
- Bureau of Land Management [BLM]. 2013. Final environmental impact statement and proposed resource management plan amendments for the SunZia Southwest Transmission Project. Bureau of Land Management, BLM/NM/PL-13-04-1610.
- Busch, D.E. 1995. Effects of fire on southwestern riparian plant community structure. *Southwestern Naturalist* 40:259-267.
- Buskirk, S.W., L.F. Ruggiero, and C.J. Krebs. 2000. Habitat fragmentation and interspecific competition: implications for lynx conservation. In L.F. Ruggiero, K.B. Aubry, S.W. Buskirk, G.M. Koehler, C.J. Krebs, K.S. McKelvey, and J.R. Squires, editors. *Ecology and conservation of lynx in the United States*. University Press of Colorado, Boulder, CO.
- Butts, K.O. 1973. Life history and habitat requirements of burrowing owls in western Oklahoma. MS Thesis, Oklahoma State University, Stillwater, OK.
- Buys and Associates, Inc. 2005. Statewide, programmatic biological assessment/biological evaluation of black-footed ferret (*Mustela nigripes*), mountain plover (*Charadrius montanus*), Gunnison's prairie dog (*Cynomys gunnisoni*), and white-tailed prairie dog (*Cynomys leucurus*) on Colorado Bureau of Land Management Lands. Unpublished Document No. CAP020456, Bureau of Land Management, Denver, Colorado.

- Calamusso, B. and J.N. Rinne. 1996. Distribution of Rio Grande cutthroat trout and its co-occurrence with the Rio Grande sucker and Rio Grande chub on the Carson and Santa Fe National Forests. U.S. Forest Service Technical Report RM 272:157-167.
- Calamusso, B. and J. N. Rinne. 1999. Native montane fishes of the Middle Rio Grande Ecosystem: Status, Threats and Conservation. Pp. 231-237 In: Finch, D. M., et al. (Technical Coordinators), Rio Grande Ecosystems: Linking land, water, and people. Toward a sustainable future for the Middle Rio Grande basin. 1998 June 2-5, Albuquerque, New Mexico. Proceedings RMRS-P-7. Ogden, Utah: U. S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 254 pp.
- Campbell, J.B. 1970. Life-history of *Bufo boreas boreas* in the Colorado Front Range. Ph.d. thesis, University of Colorado, Boulder, CO.
- Canalosi, J.J. 1980. Fishes of the Republican River basin. Master's Thesis, Department of Zoology and Entomology, Colorado State University, Fort Collins, CO.
- Carey, C. 1993. Hypothesis concerning the causes of the disappearance of boreal toads from the mountains of Colorado. *Conservation Biology* 7:355-362.
- Carey, C., J.E. Bruzgul, L.J. Livo, M.L. Walling, K.A. Kuehl, B.F. Dixon, A.P. Pessier, R.A. Alford, and K.B. Rogers. 2006. Experimental exposure of boreal toads (*Bufo boreas*) to a pathogenic chytrid fungus (*Batrachochytrium dendrobatidis*). *EcoHealth* 3: 5-21.
- Carlson, C.A., and R.T. Muth. 1989. The Colorado River: lifeline of the American Southwest. Canadian Special Publication, Fisheries and Aquatic Sciences 106:220–239.
- Carpenter, S.R., N.F. Caraco, D.L. Correll, R.W. Howarth, A.N. Sharpley, and V.H. Smith. 1998. Nonpoint pollution of surface waters with phosphorus and nitrogen. *Ecological Applications* 8:559-568.
- Cegelski, C.C., L.P. Waits, N.J. Anderson, O. Flagstad, C. Strobeck, and C.J. Kyle. 2006. Genetic diversity and population structure of wolverine (*Gulo gulo*) populations at the southern edge of their current distribution in North America with implications for genetic viability. *Conservation Genetics* 7:197-211.
- Chambers, J.C., B.A. Roundy, R.R. Blank, S.E. Meyer, and A. Whittaker. 2007. What makes Great Basin sagebrush ecosystems invulnerable by *Bromus tectorum*? *Ecological Monographs* 77:117-145.

- Chart, T.E. and E.P. Bergersen. 1992. Impact of mainstream impoundment on the distribution and movements of the resident Flannelmouth Sucker (*Catostomus latipinnis*) population in the White River, Colorado. *Southwestern Naturalist* 37(1): 9-15.
- Chart, T.E., and L. Lentsch. 2000. Reproduction and recruitment of *Gila* spp. and Colorado pikeminnow (*Ptychocheilus lucius*) in the middle Green River; 1992–1996. Final Report of Utah Parks and Wildlife Resources to Upper Colorado River Endangered Fish Recovery Program, Denver, CO.
- Ciepiela, L., S. Brinkman, R. Fitzpatrick, and H. Crockett. 2013. Western mosquito fish (*Gambusia affinis*) alters temperature selection of northern redbelly dace (*Phoxinus eos*) under laboratory conditions. Presentation, Proceedings of the Colorado-Wyoming Chapter of the American Fisheries Society 2013 Annual Meeting, February 25-27. Available: <http://www.cowyafs.org/wp-content/themes/cowyafs/annualmeeting/2013CO-WYFinalProgram.pdf>.
- Clark D.R., Jr. and R.F. Shore. 2001. Chiroptera. Pp 159-214 in *Ecotoxicology of Wild Mammals* (R.F. Shore and B.A. Rattner, eds.). Chichester: Wiley.
- Clark, J.S., D.M. Rizzo, M.C. Watzin, and W.C. Hession. 2008. Spatial distribution and geomorphic condition of fish habitat in streams: an analysis using hydraulic modelling and geostatistics. *River Research and Applications* 24: 885-899.
- Clarkson, R.W. and M.R. Childs. 2000. Temperature effects of hypolimnial-release dams on early life stages of Colorado River Basin big-river fishes. *Copeia* 2:402-412.
- Colorado Division of Water Resources [CDWR]. 2012. Cumulative statistics. Available: <http://water.state.co.us/DWRDocs/Reports/Pages/CumStats.aspx>
- Colorado Greater Sage-Grouse Steering Committee [CGSSC]. 2008. Colorado greater sage-grouse conservation plan. Colorado Parks and Wildlife, Denver, CO.
- Colorado Natural Heritage Program [CNHP]. 2005-2007. Ecological systems of Colorado. Descriptions and rank specifications. Colorado Natural Heritage Program, Colorado State University, Fort Collins, CO.
- Colorado Oil and Gas Conservation Commission (COGCC). 2014. COGCC GIS [Online]. Available: <http://cogcc.state.co.us/Home/gismain.cfm>



- Colorado Parks and Wildlife [CPW]. 2001. Arkansas Darter *Etheostoma cragini* Recovery Plan. State of Colorado, Department of Natural Resources, Denver, CO.
- Colorado Parks and Wildlife. [CPW]. 2008. Recommended buffer zones and seasonal restrictions for Colorado raptors. Colorado Parks and Wildlife, Denver, CO.
- Colorado Parks and Wildlife. 2010a. Dolores River native fish habitat recommendations and alternatives to Wild and Scenic designation. White paper prepared by Colorado Department of Natural Resources, Southwest Aquatic Section-CPW, Southwest Wildlife Conservation CPW, and the CPW Water Resources Unit.
- Colorado Parks and Wildlife. 2010b. Draft plan to reintroduce wolverine (*Gulo gulo*) to Colorado. Colorado Parks and Wildlife, Denver, CO.
- Colorado Parks and Wildlife. 2014. Species Profiles. National Diversity Information Source, Available: <http://cpw.state.co.us/learn/Pages/SpeciesProfiles.aspx>
- Colorado Parks and Wildlife [CPW]. 2014a. Colorado Columbian Sharp-tailed Grouse translocation guidelines, Denver, CO.
- Colorado Parks and Wildlife [CPW]. 2014b. State of Colorado Conservation and Management Plan for the Roundtail Chub (*Gilia robusta*), Bluehead Sucker (*Catostomus discobolus*) and Flannelmouth Sucker (*Catostomus latipinnis*). Unpublished Draft.
- Colorado Partners In Flight [CoPIF]. 2000. Colorado Land bird Conservation Plan. Available: [www.rmbo.org/pif/bcp/](http://www.rmbo.org/pif/bcp/)
- Colorado State Forest Service [CSFS]. 2005. Report on the health of Colorado's forests. Special issue: Aspen forests. Colorado Department of Natural Resources, Division of Forestry, Denver, CO.
- Colorado State Forest Service [CSFS]. 2010. Colorado statewide forest resource assessment. A foundation for strategic discussion and implementation of forest management in Colorado. Colorado State University, Fort Collins, CO.
- Colorado State Forest Service [CSFS]. 2013. 2013 report on the health of Colorado's forests – caring for Colorado's Forests: today's challenges, tomorrow's opportunities. Colorado State University, Fort Collins, CO.

- Connelly, J.W., S.T. Knick, M.A. Schroeder, and S.J. Stiver. 2004. Conservation assessment of greater sage-grouse and sagebrush habitats. Western Association of Fish and Wildlife Agencies, Cheyenne, WY.
- Copeland, J.P., K.S. McKelvey, K.B. Aubry, A. Landa, J. Persson, R.M. Inman, J. Krebs, E. Lofroth, H. Golden, J.R. Squires, A. Magoun, M.K. Schwartz, J. Wilmot, C.L. Copeland, R.E. Yates, I. Kojola, and R. May. 2010. The bioclimatic envelope of the wolverine (*Gulo gulo*): do climatic constraints limit its geographic distribution? *Canadian Journal of Zoology* 88:233–246.
- Copes, F.A. 1975. Ecology of the brassy minnow, *Hybognathus hankinsoni* (Cyprinidae). University of Wisconsin–Stevens Point, Museum of Natural History, Stevens Point, WS.
- Corn, P.S. 2003. Amphibian breeding and climate change: importance of snow in the mountains. *Conservation Biology* 17:622-625.
- Corn, P.S. and J.C. Fogleman. 1984. Extinction of montane populations of the northern leopard frog (*Rana pipiens*) in Colorado. *Journal of Herpetology* 18:147-152.
- Covington, W.W. and M.M. Moore. 1994. Southwestern ponderosa forest structure: changes since Euro-American settlement. *Journal of Forestry* 92:39–47.
- Cowley, D.E. 2006. Strategies for ecological restoration of the Middle Rio Grande in New Mexico and recovery of the endangered Rio Grande silvery minnow. *Reviews in Fisheries Science* 14: 169-186.
- Craig, E.H., T.H. Craig, and L.R. Powers. 1986. Habitat use by wintering Golden Eagles and Rough-legged Hawks in southeastern Idaho. *Raptor Research* 20:69-71.
- CRCT Conservation Team. 2006. Conservation agreement for Colorado River cutthroat trout (*Oncorhynchus clarkii pleuriticus*) in the States of Colorado, Utah, and Wyoming. Colorado Parks and Wildlife, Fort Collins, CO.
- Cross, F.B. and J.T. Collins. 1975. Fishes in Kansas. Univ. of Kan. Mus. of Nat. Hist. Public Education Series No. 3, Lawrence, KS. 189pp.
- Cross, F.B. and R.E. Moss. 1987. Historic changes in the fish communities and aquatic habitats in plains streams of Kansas. Pp. 155-165 in W. Matthews and D. Heins, editors, *Community*

and Evolutionary Ecology of North American Stream Fishes, University of Oklahoma Press, Norman, OK.

Csiki, S.J. and C.W. Martin. 2008. Spatial variability of heavy-metal storage in the floodplain of the Alamosa River, Colorado. *Physical Geography* 29:306-319.

Cully, J.F., Jr. and E.S. Williams, 2001. Interspecific comparisons of sylvatic plague in prairie dogs. *Journal of Mammalogy* 82:894-905.

D'Antonio, C.M. and P.M. Vitousek. 1992. Biological invasions by exotic grasses, the grass/fire cycle, and global change. *Annual Review of Ecology and Systematics* 23:63-87.

Daszak, P., A.A. Cunningham, and A.D. Hyatt. 2003. Infectious disease and amphibian population declines. *Diversity and Distribution* 9:141-150.

Dauwalter, D.C. and F.J. Rahel. 2008. Distribution modelling to guide stream fish conservation: an example using the mountain sucker in the Black Hills National Forest, USA. *Aquat. Conserv.* 18:1263-1276.

Davies, K.E., T.J. Sevjar, and J.D. Bates. 2009. Interaction of historical and nonhistorical disturbances maintains native plant communities. *Ecological Applications* 19:1536-1545.

Decker, L.M. and D.C. Erman. 1992. Short-term seasonal changes in composition and abundance of fish in Sagehen Creek, California. *Transactions of the American Fisheries Society* 121:297-306.

Desmond, M.J., J.A. Savidge, and K.M. Eskridge. 2000. Correlations between burrowing owl and black-tailed prairie dog declines: a 7-year analysis. *Journal of Wildlife Management* 64:1067-1075.

Dinsmore, S.J. 2003. Mountain plover (*Charadrius montanus*): a technical conservation assessment. USDA Forest Service, Rocky Mountain Region, Lakewood, CO.

Ditchkoff, S.S., S.T. Saalfeld, and C.J. Gibson. 2006. Animal behavior in urban ecosystems: modifications due to human-induced stress. *Urban Ecosystems* 9:5-12.

Dodds, W.K. 1997. Distribution of runoff and rivers related to vegetative characteristics, latitude, and slope: a global perspective. *Journal of the North American Benthological Society* 16:162-168.

- Dodds, W.K., K. Gido, M.R. Whiles, K.M. Fritz, and W.J. Matthews. 2004. Life on the edge: the ecology of Great Plains prairie streams. *BioScience* 54 (3): 205-216.
- Douglas, M.E., R.R. Miller, W.L. Minckley. 1998. Multivariate discrimination of Colorado Plateau *Gila* spp.: the "Art of Seeing Well" revisited. *Transactions of the American Fisheries Society* 127:163-173.
- Douglas, M.R. and M.E. Douglas. 2000. Late season reproduction by big-river catostomidae in Grand Canyon. *Copeia* 2000:238-244.
- Douglas, M.R. and M.E. Douglas. 2003. Yampa River hybrid sucker genetic assessment. Department of Fisheries and Wildlife Biology, Colorado State University, Fort Collins, CO.
- Dreitz, V.J. 2008. Comparative recruitment rates of Mountain Plovers (*Charadrius montanus*) in eastern Colorado. Colorado Parks and Wildlife, Denver, CO.
- Dreitz, V.J. 2009. Parental behavior of a precocial species: implications for juvenile survival. *Journal of Applied Ecology* 46:870-878.
- Drewien, R.C., W.M. Brown, D.C. Lockman, W.L. Kendall, K.R. Clegg, V.K. Graham, and S.S. Manes. 2001. Band recoveries, mortality factors, and survival of Rocky Mountain greater sandhill cranes. Unpublished report by Hornocker Wildlife Institute, Bozeman, MT, on file at DMBM office, U.S. Fish and Wildlife Service, Denver, CO.
- Dunham, J.B., S.B. Adams, R.E. Schroeter, and D.C. Novinger. 2002. Alien invasions in aquatic ecosystems: toward an understanding of brook trout invasions and potential impacts on inland cutthroat trout in western North America. *Reviews in Fish Biology and Fisheries* 12:373-391.
- Durham, B.W. and G. R. Wilde. 2008. Composition and abundance of drifting fish larvae in the Canadian River, Texas. *Journal of Freshwater Ecology* 23:273-280.
- Eaglin, G.S. and W.A. Hubert. 1993. Effects of logging and roads on substrate and trout in streams of the Medicine Bow National Forest, Wyoming. *North American Journal of Fisheries Management* 13:844-846.
- Easterla, D.A. 1973. Ecology of the 18 species of Chiroptera at Big Bend National Park, Texas. *Northwest Missouri State University Studies* 34:1-165.

- Eisenhart, K.S. 2004. Historic range of variability and stand development in piñon-juniper woodlands of western Colorado [dissertation]. University of Colorado, Boulder, CO. 255pp.
- Ellis, L.M., C.S. Crawford, and M.C. Molles. 2001. Influence of annual flooding on terrestrial arthropod assemblages of a Rio Grande riparian forest. *Regul. Rivers Res. Manage.* 17:1–20.
- Ellison, L.E., M.B. Wunder, C.A. Jones, C. Mosch, K.W. Navo, K. Peckham, J.E. Burghardt, J. Annear, R. West, J. Siemers, R.A. Adams, and E. Brekke. 2004. Colorado bat conservation plan. Colorado Committee of the Western Bat Working Group. Available: <http://www.cnhp.colostate.edu/teams/zoology/cbwg/pdfs/ColoradoBatConservationPlanFebruary2004.pdf>
- Erman, D.C. 1986. Long-term structure of fish populations in Sagehen Creek, California. *T. Am. Fish. Soc.* 115:682–692.
- Eschner, T.R., R.F. Hadley, and K.D. Crowley. 1983. Hydrologic and morphologic changes in channels of the Platte River Basin in Colorado, Wyoming, and Nebraska: a historical perspective. U.S. Geological Survey Professional Paper 1277-A, 39 pp.
- Ewert, J. 2010. Wolford Mountain Reservoir, fish survey and management data. Colorado Division of Wildlife. Available: <http://cpw.state.co.us/documents/fishing/fisherywatersummaries/summaries/northwest/wolfordmountainreservoir.pdf>
- Fairchild, J.F., A.L. Allert, B.C. Poulton, and R.V. Graham. 2002. A site-specific assessment for the impacts of ammonia on Colorado pikeminnow and razorback sucker populations in the Upper Colorado River, adjacent to the Atlas Mill Tailings Pile, Utah, U.S. Geological Survey, Columbia Environmental Research Center, Final Report to the U.S. Fish and Wildlife Service, Off-Refuge Contaminant Assessment Program, 126 pp., (91435).
- Falke, J.A., K.R. Bestgen, and K.D. Fausch. 2010. Streamflow reductions and habitat drying affect growth, survival, and recruitment of brassy minnow across a Great Plains riverscape. *Transactions of the American Fisheries Society* 139:1566-1583.
- Falke, J.A., K.D. Fausch, R. Magelky, A. Aldred, D.S. Durnford, L.K. Riley, and R. Oad. 2011. The role of groundwater pumping and drought in shaping ecological futures for stream fishes in a dryland river basin of the western Great Plains, USA. *Ecohydrology* 4:682–697.
- Farrer, R.A., L.A. Weinert, J. Bielby, T.W.J. Garner, F. Balloux, F. Clare, J. Bosch, A.A. Cunningham, C. Weldon, L.H. Du Preez, L. Anderson, S.L.K. Pond, R. Shahar-Golan, D.A.

- Henk, and M.C. Fisher. 2011. Multiple emergences of genetically diverse amphibian-infecting chytrids include a globalized hypervirulent recombinant lineage. *Proceedings of the National Academy of Sciences* 10:18732-18736.
- Fausch, K.D. and K.R. Bestgen. 1997. Ecology of fishes indigenous to the central and southwestern Great Plains. Pp 131–166 in F.L. Knopf and F.B. Samson, editors. *Ecology and conservation of Great Plains vertebrates*, Springer-Verlag, New York, NY.
- Felts, E.A. and K.N. Bertrand. 2014. Conservation status of five headwater stream specialists in South Dakota. *American Midland Naturalist* 172:131-159.
- Fink, M., and K. Decker. 2015. Modeled projected change in water temperature; cold to cool-water fisheries transition line. Unpublished GIS dataset. Colorado Natural Heritage Program, Colorado State University, Fort Collins, CO.
- Finley, R.B., Jr. and M.A. Bogan. 1995. New records of terrestrial mammals in northwestern Colorado. *Proceedings of the Denver Museum of Natural History* 3:1-6.
- Fischer, J.R. and C.P. Paukert. 2008. Historical and current environmental influences on an endemic Great Plains fish. *The American Midland Naturalist* 159:364-377.
- Fitzpatrick, S.W., H. Crockett, and W.C. Funk. 2014. Water availability strongly impacts population genetic patterns of an imperiled Great Plains endemic fish. *Conservation Genetics* 15: 771-788.
- Flanders-Wanner, B.L., G.C. White, and L.L. McDaniel. 2004. Weather and prairie grouse: dealing with effects beyond our control. *Wildlife Society Bulletin* 32:22–34.
- Fleischner, T.L. 1994. Ecological costs of livestock grazing in western North America. *Conservation Biology* 8: 629-644.
- Floyd, M.L., W.H. Romme, and D.D. Hanna. 2000. Fire history and vegetation pattern in Mesa Verde National Park, Colorado, USA. *Ecological Applications* 10:1666-1680.
- Forbes, S.H. and F.W. Allendorf. 1991. Mitochondrial genotypes have no detectable effects on meristic traits in cutthroat trout hybrid swarms. *Evolution* 45:1350-1359.
- Franssen, N.R. and S.L. Durst. 2014. Prey and non-native fish predict the distribution of Colorado pikeminnow (*Ptychocheilus lucius*) in a south-western river in North America. *Ecology of Freshwater Fish* 23: 395-404.

- Freilich, J. 2004. Another threat to prairie streams. *BioScience* 54:380.
- Frey, J.K., and J.L. Malaney. 2009. Decline of the meadow jumping mouse (*Zapus hudsonius luteus*) in two mountain ranges in New Mexico. *Southwest Naturalist* 54:31-44.
- Frick, W.F., J.F. Pollock, A.C. Hicks, K.E. Langwig, D.S. Reynolds, G.G. Turner, C.M. Butchkoski, and T.H. Kunz. 2010. An emerging disease causes regional population collapse of a common North American bat species. *Science* 329:679-682.
- Fryer, J.L. 2004. *Pinus aristata*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Available: [www.fs.fed.us/database/feis](http://www.fs.fed.us/database/feis)
- Fuhlendorf, S.D. and D.M. Engle. 2001. Restoring heterogeneity on rangelands: ecosystem management based on evolutionary grazing patterns. *BioScience* 51:625-632.
- Gage, E., and D.J. Cooper. 2007. Historic range of variation assessment for wetland and riparian ecosystems, U.S. Forest Service Region 2. Prepared for USDA Forest Service, Rocky Mountain Region. Department of Forest, Rangeland and Watershed Stewardship, Colorado State University, Fort Collins, CO.
- Gerber, A.S., C.A. Tibbets, and T.E. Dowling. 2001. The role of introgressive hybridization in the evolution of the *Gila robusta* complex (Teleostei: Cyprinidae). *Evolution* 55:2028-2039.
- Gerber, B.D., J.F. Dwyer, S.A. Nesbitt, R.C. Drewien, C.D. Littlefield, T.C. Tacha and P.A. Vohs. 2014. Sandhill Crane (*Grus canadensis*), The Birds of North America Online (A. Poole, Ed.), Cornell Lab of Ornithology, Ithaca, NY. Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/031doi:10.2173/bna.31>
- Gervais, J.A., C.M. Hunter, and R.G. Anthony. 2006. Interactive effects of prey and *p,p'*-DDE on burrowing owl population dynamics. *Ecological Applications* 16:666-677.
- Gibson, K., K. Skov, S. Kegley, C. Jorgensen, S. Smith, and J. Witcosky. 2008. Mountain pine beetle impacts in high-elevation five-needle pines: current trends and challenges. USDA Forest Service, Forest Health Protection publication R1-08-020, Missoula, MT.

- Giddings, E.M., L.R. Brown, T.M. Short and M.R. Meador. 2006. Relation of fish communities to environmental conditions in urban streams of the Wasatch Front, Utah. *Western North American Naturalist* 66:155–168.
- Goettle, J.P., Jr. 1981. Evaluation of Sport Fisheries Potential in Fluctuating Plains Streams. Progress Report. Fed. Aid Proj. F-77-R-2. Colorado Division of Wildlife. Ft. Collins, CO 35 pp.
- Goldowitz, B.S., and M.R. Whiles. 1999. Investigations of fish, amphibians and aquatic invertebrates within the middle Platte River system. U.S. Environmental Protection Agency, Report to Platte Watershed Program, University of Nebraska, Lincoln, NE.
- Grafius, D.R., G.P. Malanson, and D. Weiss. 2012. Secondary controls of alpine treeline elevations in the western USA. *Physical Geography* 33:146-164.
- Graham, L. and R.L. Knight. 2004. Multi-scale comparisons of cliff vegetation in Colorado. *Plant Ecology* 170:223-234.
- Granath, W.O., JR. and G.W. Esch. 1983. Temperature and other factors that regulate the composition and infrapopulation densities of *Bothriocephalus acheilognathi* (cestoda) in *Gambusia affinis* (Pices). *Journal of Parasitology* 69:116–1124.
- Grantz, D.A., J.H.B. Garner, and D.W. Johnson. 2003. Ecological effects of particulate matter. *Environment International* 29:213-239.
- Greco, S.E. 2012. Patch change and the shifting mosaic of an endangered bird's habitat on a large meandering river. *River Research and Applications* DOI 10.1002/rra2568.
- Green, D.E. and C. Sherman-Kagarise. 2001. Diagnostic histological findings in Yosemite toads (*Bufo canorus*) from a die-off in the 1970's. *Journal of Herpetology* 35:92-103.
- Groce, M., L. Bailey, and K.D. Fausch. 2012. Evaluating the success of Arkansas darter translocations in Colorado: an occupancy modeling approach. *Transactions of the American Fisheries Society* 141: 825-840.
- Haak, A.L., J.E. Williams, D. Isaak, A. Todd, C. Muhlfeld, J.L. Kershner, R. Gresswell, S. Hostetler, and H.M. Neville. 2010. The potential influence of changing climate on the persistence of salmonids of the inland west. U.S. Geological Survey, Open-File Report 2010-1236, Reston, VA.



- Haas, J.D. 2005. Evaluation of the impacts of the introduced western mosquitofish, *Gambusia affinis*, on native plains topminnow, *Fundulus sciadicus*, in Nebraska. M.S. Thesis. University of Nebraska, Kearney, NE. 94pp.
- Hamilton, S.J., K.M. Holley, K.J. Buhl, and F.A. Bullard. 2005. Selenium impacts on razorback sucker, Colorado River, Colorado. *Ecotoxicology and Environmental Safety* 61:32–43.
- Hammerson, G.A. 1982. Bullfrog eliminating leopard frogs in Colorado? *Herpetological Review* 13:115-116.
- Hammerson, G.A. 1999. *Amphibians and reptiles in Colorado*. Second ed., University Press of Colorado and Colorado Parks and Wildlife, Denver, CO.
- Hardy, C.C., J.P. Menakis, J.K. Brown, and D.L. Bunnell. 1998. Mapping historic fire regimes for the Western United States: Integrating remote sensing and biophysical data. Pp 288–300 in J. D. Greer, editor. *Natural resource management using remote sensing and GIS*, Proceedings of the Seventh Forest Service Remote Sensing Applications Conference; 1998 April 6-10; Nassau Bay, Texas. American Society for Photogrammetry and Remote Sensing, Bethesda, MD.
- Harig, A.L., K.D. Fausch, and M.K. Young. 2000. Factors influencing success of greenback cutthroat trout translocations. *North American Journal of Fisheries Management* 20:994-1004.
- Harper, K.T., F.J. Wagstaff, and L.M. Kunzler. 1985. Biology management of the Gambel oak vegetative type: a literature review. Gen. Tech. Rep. INT-179. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. 31 p.
- Haynes, C.M., and R.T. Muth. 1981. Lordosis in Gila, Yampa River, Colorado. 13th Annual Symposium, Desert Fishes Council, Death Valley, CA.
- He, X., and J.F. Kitchell. 1990. Direct and indirect effects of predation on a fish community: a whole lake experiment. *Transactions of the American Fisheries Society* 119:825-835.
- Heinemeyer, K. and J.R. Squires. 2013. Wolverine – winter recreation research project: investigation the interactions between wolverines and winter recreation, 2013 Progress Report. Round River Conservation Studies, Salt Lake City, UT, and U.S. Forest Service Rocky Mountain Research Station, Missoula, MT.

- Hirsch, C.L., M.R. Dare, and S.E. Albeke. 2013. Range-wide status of Colorado River cutthroat trout (*Oncorhynchus clarkii pleuriticus*): 2010. Colorado River Cutthroat Trout Conservation Team Report. Colorado Parks and Wildlife, Fort Collins, CO.
- Hoerling, M. and J. Eischeid. 2007. Past peakwater in the Southwest. *Southwest Hydrology* 6:18–19, 35.
- Hoffman, G.L. 1976. The Asian tapeworm, *Bothriocephalus gowkongensis*, in the United States and research needs in fish parasitology. Pp 84–90 in Proceedings of the 1976 fish farming conference, annual convention of the catfish farmers of Texas. Texas Agricultural and Mechanical University, College Station, TX.
- Hoffman, R.W. 2001. Northwest Colorado Columbian sharp-tailed grouse conservation plan. Northwest Colorado Columbian Sharp-tailed Grouse Work Group and Colorado Parks and Wildlife, Fort Collins, CO.
- Hoffman, R.W. 2006. White-tailed Ptarmigan (*Lagopus leucura*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/whitetailedptarmigan.pdf>
- Hoffman, R.W. and A.E. Thomas. 2007. Columbian Sharp-tailed Grouse (*Tympanuchus phasianellus columbianus*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/columbiansharptailedgrouse.pdf>.
- Holden, P.B. 1979. Ecology of riverine fishes in regulated stream systems with emphasis on the Colorado River. Pp 57-74 *In: The ecology of regulated streams*. J.V. Ward and J.A. Stanford (eds.) Plenum Press, New York, NY.
- Holden, P.B. (ed.). 1999. Flow recommendations for the San Juan River. San Juan River Basin Recovery Implementation Program, U.S. Fish and Wildlife Service, Albuquerque, NM.
- Holland, A. A. 2002. Evaluating Boreal Toad (*Bufo boreas*) Breeding Habitat Suitability. M. S. Thesis, Colorado State University, Fort Collins, CO.
- Holycross, A. 2003. Desert massasauga (*Sistrurus catenatus edwardsii*). *Sonoran Herpetologist* 16(4):30-32, Attachment 12.

- Hopken, M.W., M.R. Douglas, M.E. Douglas. 2013. Stream hierarchy defines riverscape genetics of a North American desert fish. *Molecular Ecology* 22:956–971.
- Hunt, J. L. 2004. Investigation into the decline of the lesser prairie-chicken (*Tympanuchus pallidicinctus* Ridgeway) in southeastern New Mexico. Dissertation. Auburn University, Auburn, AL.
- Hughes, Janice M. 1999. Yellow-billed Cuckoo (*Coccyzus americanus*), *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/418doi:10.2173/bna.418>
- Idaho Department of Fish and Game [IDFG]. 2014. Management plan for the conservation of wolverines in Idaho. Idaho Department of Fish and Game, Boise, ID.
- Inman, R.M., B.L. Brock, K. H. Inman, S.S. Sartorius, B.C. Aber, B. Giddings, S.L. Cain, M.L. Orme, J.A. Fredrick, B.J. Oakleaf, K.L. Alt, E. Odell, and G. Chapron. 2013. Developing priorities for metapopulation conservation at the landscape scale: Wolverines in the western United States. *Biological Conservation* 166:276-286.
- Isaak, D.J., W.A. Hubert and C.R. Berry, Jr. 2003. Conservation assessment for lake chub, mountain sucker, and finescale dace in the Black Hills National Forest, South Dakota and Wyoming. USDA Forest Service, Custer, SD.
- Japhet, M., J. Alves, and T. Nesler. 2007. Rio Grande cutthroat trout status review for Colorado. Submitted to USFWS July 11, 2007.
- Johnson, B.M., P.J. Martinez, J.H. Hawkins, and K.R. Bestgen. 2008. Ranking predatory threats by non-native fishes in the Yampa River, Colorado via bioenergetics modeling. *North American Journal of Fisheries Management* 28:1941-1953.
- Johnson, K.A. 2001. *Pinus flexilis*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Available: <http://www.fs.fed.us/database/feis/>
- Johnson, J.A., J.E. Toepfer, and P.O. Dunn. 2003. Contrasting patterns of mitochondrial and microsatellite population structure in fragmented populations of greater prairie-chickens. *Molecular Ecology* 12:3335-3347.

- Johnson, J.A., M.R. Bellinger, J.E. Toepfer, and P. Dunn. 2004. Temporal changes in allele frequencies and low effective population size in greater prairie-chickens. *Molecular Ecology* 13: 2617-30.
- Johnson, P.T.J., V.J. McKenzie, A.C. Peterson, J.L. Kerby, J. Brown, A.R. Blaustein, and T. Jackson. 2011. Regional decline of an iconic amphibian associated with elevation, land-use change, and invasive species. *Conservation Biology* 25:556-566.
- Johnson, R.E. 1968. Temperature regulation in the white-tailed ptarmigan, *Lagopus leucurus*. *Comparative Biochemistry and Physiology* 24:1003-1014.
- Johnson, R.E., P. Hendricks, D.L. Pattie, and K.B. Hunter. 2000. Brown-capped Rosy-finch (*Leucosticte australis*) In *The Birds of North America*, No. 536 (A. Poole and F. Gill, eds.). The Birds of North America, Inc. Philadelphia, PA.
- Jordan, D.S. 1891. Report of exploration in Colorado and Utah during the summer of 1889, with an account of the fishes found in each of the river basins examined. *Bulletin of the U.S. Fish Commission* 9:1-40.
- Judy Jr., R.D., P.N. Seeley, T.M. Murray, S.C. Svirsky, M.R. Whitworth, and L. Ischinger. 1984. 1982 National Fisheries Survey, Volume 1, Technical Report: Initial Findings. U.S Fish and Wildlife Service, Report No. FWS/OBS-84/06, Washington, D.C.
- Kaeding, L.R., B.D. Burdick, P.A. Schrader, and W.R. Noonan. 1986. Recent capture of a bonytail (*Gila elegans*) and observations on this nearly extinct cyprinid from the Colorado River. *Copeia* 4:1021-1023.
- Kaeding, L.R., B.D. Burdick, P.A. Schrader, and C.W. McAda. 1990. Temporal and spatial relations between the spawning of humpback chub and roundtail chub in the upper Colorado River. *Transactions of the American Fisheries Society* 119:135-144.
- Karam, A.P., B.R. Kesner, and P.C. Marsh. 2008. Acoustic telemetry to assess post-stocking dispersal and mortality of razorback sucker *Xyrauchen texanus*. *Journal of Fish Biology* 73:719-727.
- Karp, C.A. and H.M. Tyus. 1990. Humpback Chub (*Gila cypha*) in the Yampa and Green Rivers, Dinosaur National Monument, with observations on Roundtail Chub (*G. robusta*) and other sympatric fishes. *Great Basin Naturalist* 50:257-264.

- Kaufmann M.R., G.H. Aplet, M. Babler, W.L. Baker, B. Bentz, M. Harrington, B.C. Hawkes, L. Stroh Huckaby, M.J. Jenkins, D.M. Kashian, R.E. Keane, D. Kulakowski, C. McHugh, J. Negrón, J. Popp, W.H. Romme, T. Schoennagel, W. Shepperd, F.W. Smith, E. Kennedy Sutherland, D. Tinker, and T.T. Veblen. 2008. The status of our scientific understanding of lodgepole pine and mountain pine beetles – a focus on forest ecology and fire behavior. The Nature Conservancy, Arlington, VA. GFI technical report 2008-2.
- Keane, R.E., K.C. Ryan, T.T. Veblen, C.D. Allen, J. Logan, and B. Hawkes. 2002. Cascading effects of fire exclusion in Rocky Mountain ecosystems: a literature review. General Technical Report. RMRS-GTR -91. U.S. Forest Service, Rocky Mountain Research Station, Fort Collins, CO. 24 pp.
- Kearns, H.S.J. and W.R. Jacobi. 2005. Impacts of black stain root disease in recently formed mortality centers in the piñon-juniper woodlands of southwestern Colorado. Canadian Journal of Forest Research 35:461-471.
- Keinath, D.A. 2004. Fringed Myotis (*Myotis thysanodes*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/fringedmyotis.pdf>
- Kennedy, C.M. 2010. Weird Bear Creek: a history of a unique cutthroat trout population. U.S. Fish and Wildlife Service Technical Report, Estes Park, CO.
- Kelso, T., N. Bower, P. Halteman, K. Tenney, and S. Weaver. 2007. Dune communities of SE Colorado: Patterns of rarity, disjunction and succession. pp. 39-48 In: Barlow-Irick, P., Anderson, J., McDonald, C., tech eds. Southwestern rare and endangered plants: Proceedings of the Fourth Conference; March 22-26, 2004; Las Cruces, New Mexico. Proceedings. RMRS-P-48CD. U.S. Forest Service, Rocky Mountain Research Station, Fort Collins, CO.
- Kimbrough, R.A. and D.W. Litke. 1996. Pesticides in streams draining agricultural and urban areas in Colorado. Environmental Science & Technology 30:908-916.
- Kingery, H.E. 1998. Colorado breeding bird atlas. Colorado Bird Atlas Partnership and Colorado Parks and Wildlife, Denver, CO.
- Klute, D.S., L.W. Ayers, M.T. Green, W.H. Howe, S.L. Jones, J.A. Shaffer, S.R. Sheffield, and T.S. Zimmerman. 2003. Status assessment and conservation plan for the Western Burrowing Owl in the United States. U.S. Department of Interior; Fish and Wildlife Service, Biological Technical Publication FWS/BTP-R6001-2003, Washington, D.C.

- Koch, E.G., G. Williams, CR. Peterson, and P.S. Corn. 1996. A summary of the Conference on Declining and Sensitive amphibians in the Rocky Mountains and Pacific Northwest. Idaho Herpetological Society and U. S. Fish and Wildlife Service, Snake River Basin office Report, Boise, ID.
- Kochert, M.N., K. Steenhof, L.B. Carpenter, and J.M. Marzluff. 1999. Effects of fire on Golden Eagle territory occupancy and reproductive success. *Journal of Wildlife Management* 63:773-780.
- Kochert, M.N., K. Steenhof, C.L. McIntyre and E.H. Craig. 2002. Golden Eagle (*Aquila chrysaetos*), *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/684doi:10.2173/bna.684>
- Kondolf, G.M. 1995. Five elements for effective stream restoration. *Restoration Ecology* 3:133-136.
- Körner, C. 2012. *Alpine treelines: functional ecology of the global high elevation tree limits*. Springer, Basel, Switzerland.
- Koupal, K. and C. Pasbrig. 2010. Development, growth and reproduction of Plains Topminnow, *Fundulus sciadicus*, in a broodstock pond located at Sacramento-Wilcox Management Area. Nebraska Game and Parks Commission, Project No. T-57: 1-20.
- Krebs, J., E. Lofroth, J. Copeland, V. Banci, D. Cooley, H. Golden, A. Magoun, R. Mulders, and B. Shults. 2004. Synthesis of survival rates and causes of mortality in North American wolverines. *Journal of Wildlife Management* 68:493-502.
- Krebs, J., E.C. Lofroth, and I. Parfitt. 2007. Multiscale habitat use by wolverines in British Columbia, Canada. *Journal of Wildlife Management* 71:2180-2192.
- Kucas, S.T. 1980. *Hybopsis gracilis* (Richardson), Flathead Chub. Page 186 in D.S. Lee, C.R. Gilbert, C.H. Hocutt, R.E. Jenkins, D.E. McAllister, and J.R. Stauffer Jr., editors. *Atlas of North American freshwater fishes*. North Carolina State Museum of Natural History, Raleigh, NC.
- Labbe, T.R. and K.D. Fausch. 2000. Dynamics of intermittent stream habitat regulate persistence of a threatened fish at multiple scales. *Ecological Applications* 10:1774-1791.

- Landers, J. 2012. Colorado dam modified to include innovative fishways and boat passage. *Civil Engineering* 82:24-28.
- LANDFIRE. 2007. LANDFIRE Biophysical Setting Models. Biophysical Setting 2310660, Intermountain Basins Mat Saltbush Shrubland. USDA Forest Service; U.S. Department of Interior. Available: [http://www.landfire.gov/national\\_veg\\_models\\_op2.php](http://www.landfire.gov/national_veg_models_op2.php)
- Langlois, D., J. Alves and J. Apker. 1994. Rio Grande sucker recovery plan. Colorado Parks and Wildlife, Denver, CO. 22 pp.
- Lannoo, M.J., K. Land, T. Waltz, and G.S. Phillips. 1994. An altered amphibian assemblage: Dickinson County, Iowa, 70 years after Frank Blanchard's survey. *American Midlands Naturalist* 131:311-319.
- Larson, D.W., U. Matthes, and P.E. Kelly. 2000. *Cliff Ecology: Pattern and Process in Cliff Ecosystems*. Cambridge University Press. 340 pp.
- Lemly, J., L. Gilligan, and M. Fink. 2011. Statewide Strategies to Improve Effectiveness in Protecting and Restoring Colorado's Wetland Resource, *including* the Rio Grande Headwaters Pilot Wetland Condition Assessment. Colorado Natural Heritage Program, Colorado State University, Fort Collins, CO. 149pp.
- Littlefield, C.D. and G.L. Ivey. 1994. Management guidelines for the greater sandhill crane on National Forest system lands in California. Unpubl. rep., U.S. Forest Service, Pacific Southwest Region, San Francisco, CA. 40 pp.
- Littlefield, C.D. and G.L. Ivey. 2002. Washington State Recovery Plan for the Sandhill Crane. Washington Department of Fish and Wildlife, Olympia, WA. 71 pp.
- Livo, L.J. 2004. Survey of *Bufo boreas* and other Southern Rocky Mountain amphibians for *Batrachochytrium dendrobatidis*. Pp23-35 in K.B. Rogers [ed.] Boreal toad research report 2003, Colorado Parks and Wildlife, Denver, CO.
- Livo, L.J., G.A. Hammerson, and H.M. Smith. 1998. Summary of introduced amphibians and reptiles into Colorado. *Northwestern Naturalist* 79:1-11.
- Llewellyn, D., and S. Vaddey. 2013. West-wide climate risk assessment: Upper Rio Grande impact assessment. U.S. Department of the Interior, Bureau of Reclamation, Upper Colorado Region, Albuquerque Area Office. Available: <http://www.usbr.gov/WaterSMART/wcra/docs/urgja/URGIAMainReport.pdf>

- Loeffler, C. (ed.) 2001. Conservation plan and agreement for the management and recovery of the southern Rocky Mountain population of the boreal toad (*Bufo boreas boreas*), Boreal Toad Recovery Team. 76 pp. + appendices.
- Lorch J.M., C.U. Meteyer, M.J. Behr, J.G. Boyles, P.M. Cryan, A.C. Hicks, A.E. Ballmann, J.T. Coleman, D.N. Redell, D.M. Reeder, D.S. Blehert. 2011. Experimental infection of bats with *Geomyces destructans* causes white-nose syndrome. *Nature* 480:376-378.
- Mackessy, S.P. 2005. Desert Massasauga Rattlesnake (*Sistrurus catenatus edwardsii*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/massasauga.pdf>
- Magle, S.B., B.T. McClintock, D.W. Tripp, G.C. White, M.F. Antolin, and K.R. Crooks. 2005. Mark-resight methodology for estimating population densities for prairie dogs. *Journal of Wildlife Management* 71:2067-2073.
- Malaney, J.L., J.K. Frey, and J.A. Cook. 2012. The biogeographical legacy of an imperiled taxon provides a foundation for assessing lineage diversification, demography, and conservation genetics. *Diversity and Distributions* 18:689-703.
- Mammoliti, C.S. 2002. The effects of small watershed impoundments on native stream fishes: a focus on the Topeka shiner and hornyhead chub. *Transactions of the Kansas Academy of Sciences* 105:219-231.
- Manier, D.J. and N.T. Hobbs. 2007. Large herbivores in sagebrush steppe ecosystems: livestock and wild ungulates influence structure and function. *Oecologia* 152:739-750.
- Manier, D.J., D.J.A. Wood, Z.H. Bowen, R.M. Donovan, M.J. Holloran, L.M. Juliusson, K.S. Mayne, S.J. Oyler-McCance, F.R. Quamen, D.J. Saher, and A.J. Titolo. 2013. Summary of science, activities, programs, and policies that influence the rangewide conservation of Greater Sage-Grouse (*Centrocercus urophasianus*): U.S. Geological Survey Open-File Report 2013-1098, 170 p. Available: <http://pubs.usgs.gov/of/2013/1098/>
- Manning, R.W. and J.K. Jones, Jr. 1988. *Perognathus fasciatus*. *Mammalian Species* 303:1-4.
- Marsh, P.C., G.A. Mueller, J.D. Schooley. 2013. Springtime foods of Bonytail (Cyprinidae: *Gila elegans*) in a lower Colorado River backwater. *The Southwestern Naturalist* 58:512-516.



- Marsh, P.C. and M.E. Douglas. 1997. Predation by introduced fishes on endangered humpback chub and other native species in the Little Colorado River, Arizona. *Transactions of the American Fisheries Society* 126:343–346.
- Mast, J.N., T.T. Veblen, and M.E. Hodgson. 1997. Tree invasion within a pine/grassland ecotone: an approach with historic aerial photography and GIS modeling. *Forest Ecology and Management* 93:181-194.
- Mast, J.N., T.T. Veblen, and Y.B. Linhart. 1998. Disturbance and climatic influences on age structure of ponderosa pine at the pine/grassland ecotone, Colorado Front Range. *Journal of Biogeography* 25: 743-755.
- McAda, C.W. 1977. Aspects of the life history of three Catostomids native to the Upper Colorado River Basin. Master's Thesis, Utah State University, Logan, UT.
- McAda, C.W. 2000. Flow recommendations to benefit endangered fishes in the Colorado and Gunnison rivers. Draft Final Report of U.S. Fish and Wildlife Service, Grand Junction, Colorado, to Upper Colorado River Endangered Fish Recovery Program, Denver, Colorado.
- McAda, C.W. and R.S. Wydoski. 1980. The razorback sucker, *Xyrauchen texanus*, in the Upper Colorado River Basin, 1974–76. Technical Papers of the U.S. Fish and Wildlife Service 99. U.S. Fish and Wildlife Service, Washington, D.C.
- McDonald, D., N.M. Korfanta, and S.J. Lantz. 2004. The burrowing owl (*Athene cunicularia*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/burrowingowl.pdf>
- McDonald, D.B., T.L. Parchman, M.R. Bower, W.A. Hubert, and F.J. Rahel. 2008. An introduced and a native vertebrate hybridize to form a genetic bridge to a second native species. *Proc. Natl. Sci. USA*. 105:10842-10847.
- McGuire, V.L. 2011. Water-level changes in the High Plains aquifer, predevelopment to 2011 and 2009-11. U.S. Geological Survey Scientific Investigations Report 2012–5291, Available: <http://pubs.usgs.gov/sir/2012/5291/>
- McKelvey, K.S., J.P. Copeland, M.K. Schwartz, J.S. Littell, K.B. Aubry, J.R. Squires, S.A. Parks, M.M. Elsner, and G.S. Mauger. 2011. Climate change predicted to shift wolverine distributions, connectivity, and dispersal corridors. *Ecological Applications* 21:2882–2897.

- Melillo, J.M., T.C. Richmond and G.W. Yohe. 2014. Climate change impacts in the United States: the Third National Climate Assessment. U.S. Global Change Research Program, 841 pp. doi:10.7930/J0Z31WJ2.
- Meretsky V.J., R.A. Valdez, M.E. Douglas, M.J. Brouder, O.T. Gorman, and P.C. Marsh. 2000. Spatiotemporal variation in length-weight relationships of endangered humpback chub—implications for conservation and management. *Transactions of the American Fisheries Society* 129:419–428.
- Merrell, D.J. 1977. Life history of the leopard frog, *Rana pipiens*, in Minnesota. Bell Museum of Natural History, Univ. Minnesota, Minneapolis, MN.
- Metcalf, J.L., S.L. Stowell, C.M. Kennedy, K.B. Rogers, D. McDonald, J. Epp, K. Keepers, A. Cooper, J.J. Austin, and A.P. Martin. 2012. Historical stocking data and 19th century DNA reveal human-induced changes to native diversity and distribution of cutthroat trout. *Molecular Ecology* 21:5194-5207.
- Metcalf, J.L., V.L. Pritchard, S.M. Silvestri, J.B. Jenkins, J.S. Wood, D.E. Cowley, R.P. Evans, D.K. Shiozawa, and A.P. Martin. 2007. Across the great divide: genetic forensics reveals misidentification of endangered cutthroat trout populations. *Molecular Ecology* 16:4445-4454.
- Miller, R.J. 1964. Behavior and ecology of some North American cyprinid fishes. *American Midland Naturalist* 72:313-357.
- Miller, R.R. 1959. Origin and affinities of the freshwater fish fauna of western North America. Pages 187–222 in C.L. Hubbs (ed.). *Zoogeography*. Publication 51 (1958), American Association for the Advancement of Science, Washington, D.C.
- Miller, L.W. and S. Bassett. 2013. Rio Grande cutthroat trout wildfire risk assessment. Prepared for New Mexico Department of Game and Fish by The Nature Conservancy, Santa Fe, NM.
- Miller, W.J. and D.E. Rees. 2000. Ichthyofaunal surveys of tributaries of the San Juan River, New Mexico. Miller Ecological Consultants, Inc., Fort Collins, CO.
- Minckley, W.L. 1991. Native fishes of the Grand Canyon region: an obituary? Pages 124–177 in National Research Council Committee (eds.). *Colorado River ecology and dam management*. Proceedings of a symposium, May 24–25, 1990, Santa Fe, NM, National Academy Press, Washington, D.C.

- Minckley, W.L. and J.E. Deacon. 1968. Southwestern fishes and the enigma of “endangered species.” *Science* 159:1424–1432.
- Minckley, W.L., P.C. Marsh, J.E. Deacon, T.E. Dowling, P.W. Hedrick, W.J. Matthews, and G. Mueller. 2003. A conservation plan for native fishes of the lower Colorado River. *BioScience* 53:219–234.
- Modde, T., and G. Smith. 1995. Flow recommendations for endangered fishes in the Yampa River. Final Report of U.S. Fish and Wildlife Service, Vernal, UT, to Upper Colorado River Endangered Fish Recovery Program, Denver, Colorado.
- Modde, T., W.J. Miller, and R. Anderson. 1999. Determination of habitat availability, habitat use, and flow needs of endangered fishes in the Yampa River between August and October. Final Report of U.S. Fish and Wildlife Service, Vernal, UT, to Upper Colorado River Endangered Fish Recovery Program, Denver, Colorado.
- Molles, M.C., C.S. Crawford, L.M. Ellis, H.M. Valett, and C.N. Dahm. 1998. Managed flooding for riparian ecosystem restoration. *Bioscience* 48:749–756.
- Montana Watershed Coordination Council's Grazing Practices Work Group [MWCC]. 1999. Best management practices for grazing Montana for grazing. Montana Department of Natural Resources and Conservation, Helena, MT.
- Morgan, P., S.C. Bunting, A.E. Black, T. Merrill, and S. Barrett. 1998. Past and present fire regimes in the Interior Columbia River Basin. In K. Close and R.A. Bartlette, editors. *Fire management under fire (adapting to change)*, Proceedings for the 1994 Interior West Fire Council meeting and program; 1994 November 1–4; Coeur d'Alene, ID. International Association of Wildland Fire, Fairfield, Washington, USA.
- Morgan, T. A., T. Dillon, C. E. Keegan III, A. L. Chase, and M.T. Thompson. 2006. The Four Corners Timber Harvest and Forest Products Industry. 2002. Resource Bulletin RMRS-RB-7. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 72p. Available:  
<http://www.coloradotimber.org/Publications/FourCorners%20Timber.pdf>
- Moyle, P.B. 2002. *Inland fishes of California*. University of California Press, Berkeley, CA. 502 pp.

- Mueller, G.A. and P.C. Marsh. 2002. Lost, a desert river and its native fishes: a historical perspective of the Lower Colorado River. Information and Technology Report USBS/BRD/ITR-2002-0010, U.S. Government Printing Office, Denver, Colorado. 69 pp.
- Mueller, G.A. and R. Wydoski. 2004. Reintroduction of the Flannelmouth Sucker in the Lower Colorado River. *North American Journal of Fisheries Management* 24:41-46.
- Muhs, D.R. and P.B. Maat. 1993. The potential response of eolian sands to greenhouse warming and precipitation reduction on the Great Plains of the U.S.A. *Journal of Arid Environments* 25:351-261.
- Muhs, D.R. and V.T. Holliday. 1995. Evidence of active dune sand on the Great Plains in the 19th century from accounts of early explorers. *Quaternary Research* 43:198- 208.
- Muth, R.T., L.W. Crist, K.E. LaGory, J.W. Hayse, K.R. Bestgen, T.P. Ryan, J.K. Lyons, R.A. Valdez. 2000. Flow and temperature recommendations for endangered fishes in the Green River downstream of Flaming Gorge Dam. Final Report to Upper Colorado River Endangered Fish Recovery Program, Denver, Colorado.
- Muths, E., P.S. Corn, A.P. Pessier, and D.E. Green. 2003. Evidence for disease-related amphibian decline in Colorado. *Biological Conservation* 110: 357-365.
- Naiman, R.J., S.E. Bunn, C. Nilsson, G.E. Petts, G. Pinay, L.C. Thompson. 2002. Legitimizing fluvial ecosystems as users of water: an overview. *Environmental Management* 30:455-467.
- National Academy of Sciences [NAS]. 2002. *Riparian Areas: Functions and Strategies for Management*. National Academy Press. 428 pp.
- National Assessment Synthesis Team, *Climate Change Impacts on the United States*. 2000. *The Potential Consequences of Climate Variability and Change*. U.S. Global Change Research Program, Washington, D.C.
- NatureServe. 2014. NatureServe Explorer: An online encyclopedia of life [web application]. Version 7.1, NatureServe, Arlington, VA. Available: <http://explorer.natureserve.org>
- Navo, K.W., J.A. Gore, and G.T. Skiba. 1992. Observations on the spotted bat, *Euderma maculatum*, in northwestern Colorado. *Journal of Mammalogy* 73:547-551.
- Neely, B., R. Rondeau, J. Sanderson, C. Pague, B. Kuhn, J. Siemers, L. Grunau, J. Robertson, P. McCarthy, J. Barsugli, T. Schulz, and C. Knapp. Editors. 2011. *Gunnison Basin: Vulnerability*

Assessment for the Gunnison Climate Working Group by The Nature Conservancy, Colorado Natural Heritage Program, Western Water Assessment, University of Colorado, Boulder, and University of Alaska, Fairbanks. Project of the Southwest Climate Change Initiative.

Neilson, R.P., J.M. Lenihan, D. Bachelet, and R.K. Drapek. 2005. Climate change implications for sagebrush ecosystems. Transactions of the North American Wildlife and Natural Resources Conference 70:145–159.

Nielson, R.M., L. McManus, T. Rintz, L.L. McDonald, R.K. Murphy, W.H. Howe, and R.E. Good. 2014. Monitoring abundance of Golden Eagles in the western United States. Journal of Wildlife Management 78:721-730.

Nesler, T.P. 1995. Interactions between endangered fishes and introduced gamefishes in the Yampa River, Colorado, 1987-1991. Final report. Federal Aid Project SE-3, Colorado River Recovery Program Project 91-29, Colorado Parks and Wildlife, Fort Collins, CO. 184pp.

Nesler, T.P., K. Christopherson, J.M. Hudson, C.W. McAda, F. Pfeifer, and T.E. Czapla. 2003. An integrated stocking plan for Razorback Sucker, Bonytail, and Colorado Pikeminnow for the Upper Colorado River endangered fish recovery program, Colorado Parks and Wildlife, Denver, CO.

Nesler, T. P., C. Bennett, J. Melby, G. Dowler, and M. Jones. 1999. Inventory and status of Arkansas River native fishes in Colorado. Colorado Division of Wildlife, Denver.

Nesler, T.P., R. VanBuren, J.A. Stafford, and M. Jones. 1997. Inventory and status of South Platte River native fishes in Colorado. Colorado Parks and Wildlife, Fort Collins, CO.

Nielson, R.M., L. McManus, T. Rintz, L.L. McDonald, R.K. Murphy, W.H. Howe, and R.E. Good. 2014. Monitoring abundance of Golden Eagles in the western United States. Journal of Wildlife Management 78:721-730.

Niemuth, N.D. 2011. Spatially explicit habitat models for prairie grouse. In No. 39. Sandercock, B.K., K. Martin, and G. Segelbacher, eds. 2011. *Ecology, conservation, and management of grouse*. Studies in Avian Biology, Cooper Ornithological Society.

New Mexico Game and Fish Department [NMGFD]. 2012. Threatened and endangered species of New Mexico: 2012 biennial review. New Mexico Dept. Game and Fish, Santa Fe, NM.

- Natural Resource Defense Council [NRDC]. 2014. Renewable Energy for America, harvesting the benefits of homegrown renewable energy [Online].  
<http://www.nrdc.org/energy/renewables/technologies.asp>
- Nydick, K., J. Crawford, M. Bidwell, C. Livensperger, I. Rangwala, and K. Cozetto. 2012. Climate Change Assessment for the San Juan Mountain Regions, Southwestern Colorado, USA: A Review of Scientific Research. Prepared by Mountain Studies Institute in cooperation with USDA San Juan National Forest Service and USDOJ Bureau of Land Management Tres Rios Field Office. Durango, CO.  
[http://www.mountainstudies.org/s/ClimateResearchReview\\_SJMs\\_FINAL.pdf](http://www.mountainstudies.org/s/ClimateResearchReview_SJMs_FINAL.pdf)
- O'Connell, J.L., L.A. Johnson, D.W. Daniel, S.T. McMurray, L.M. Smith, and D.A. Haukos. 2013. Effects of agricultural tillage and sediment accumulation on emergent plant communities in playa wetlands of the U.S. High Plains. *Journal of Environmental Management* 120:10-17.
- Olsen, D.G. and M.C. Belk. 2005. Relationship of diurnal habitat use of native stream fishes of the eastern Great Basin to presence of introduced salmonids. *Western North American Naturalist* 65(4):501-506.
- O'Shea, T.J., E.L. Everette, and L.E. Ellison. 2001. Cyclodiene insecticide, DDE, DDT, arsenic, and mercury contamination of big-brown bats (*Eptesicus fuscus*) foraging at a Colorado Superfund site. *Archives of Environmental Contamination and Toxicology* 40:112-120.
- O'Shea, T.J., P.M. Cryan, E.A. Snider, E.W. Valdez, L.E. Ellison, and D.J. Neubaum. 2011. Bats of Mesa Verde National Park, Colorado: composition, reproduction, and roosting habits. *Monographs of the Western North American Naturalist* 5:1-19.
- Osmundson, D.B. 1999. Longitudinal variation in temperature and fish community structure in the upper Colorado River: implications for Colorado pikeminnow habitat suitability. Final Report to the Recovery Program for the Endangered Fishes of the Upper Colorado River, Project Number 48. U.S. Fish and Wildlife Service, Grand Junction, CO.
- Osmundson, D.B. 2011. Thermal Regime Suitability: Assessment of Upstream Range Restoration Potential for Colorado Pikeminnow, A Warmwater Endangered Fish. *River Restoration Applications* 27: 706-722.
- Osmundson, B.C., T.W. May, and D.B. Osmundson. 2000. Selenium Concentrations in the Colorado Pikeminnow (*Ptychocheilus lucius*): Relationship with Flows in the Upper Colorado River. *Archives of Environmental Contamination and Toxicology* 38: 479-485.

- Osmundson, D.B., P. Nelson, K. Fenton, and D.W. Ryden. 1995. Relationships between flow and rare fish habitat in the “15-Mile Reach” of the upper Colorado River. Final Report. U.S. Fish and Wildlife Service, Grand Junction, CO.
- Osmundson, D.B., R.J. Ryel, V.L. Lamarra, J. Pitlick. 2002. Flow-sediment biota relations: implications for river regulation effects on native fish abundance. *Ecological Applications* 12: 1719–1739.
- Osmundson, D. B., R. J. Ryel, M. E. Tucker, B. D. Burdick, W. R. Elmlblad, and T. E. Chart. 1998. Dispersal patterns of subadult and adult Colorado squawfish in the Upper Colorado River. *Transactions of the American Fisheries Society* 127: 943-956.
- Oyler-McCance, S.J., K.P. Burnham and C.E. Braun. 2001. Influence of changes in sagebrush on Gunnison sagegrouse in southwestern Colorado. *Southwestern Naturalist* 46:323-331.
- Paradzick, C.E., R.F. Davidson, J.W. Rourke, M.W. Sumner, A.M. Wartell, and T.D. McCarthey. 2000. Southwestern Willow Flycatcher 1999 survey and nest monitoring report. Technical Report 151, Arizona Game and Fish Department, Phoenix, AZ. 93 pp.
- Partners in Flight Science Committee 2012. Species Assessment Database, version 2012. Available: <http://rmbo.org/pifassessment>.
- Pasbrig, C.A., K.D. Koupal, S. Schainost, and W.W. Hoback. 2012. Changes in range-wide distribution of plains topminnow *Fundulus sciadicus*. *Endangered Species Research* 16:235-247.
- Patten, K.A. and M.B. Sloane. 2007. Rio Grande cutthroat trout status review. Comments by New Mexico Department of Game and Fish, submitted to USFWS July 23, 2007. 24 pp.
- Patton, T.M., F.J. Rahel and W.A. Hubert. 1998. Using historical data to assess changes in Wyoming's fish fauna. *Conservation Biology* 12:1120–1128.
- Pauli, J.N., S.W. Buskirk, E.S. Williams, and W.H. Edwards. 2006. A plague epizootic in the black-tailed prairie dog (*Cynomys ludovicianus*). *Journal of Wildlife Management* 42:74-80.
- Pauli, J.N., R.M. Stephens, and S.H. Anderson. 2006b. White-tailed prairie dog (*Cynomys leucurus*): a technical conservation assessment [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/project/scp/assessments/whitetailedprairiedog.pdf>.

- Peterson, D.P., K.D. Fausch, and G.C. White. 2004. Population ecology of an invasion: effects of brook trout on native cutthroat trout. *Ecological Applications* 14:754-772.
- Perkin, J.S., and K.B. Gido. 2011. Stream fragmentation thresholds for a reproductive guild of Great Plains fishes. *Fisheries* 36:371–383.
- Pflieger, W.L., and T.B. Grace. 1987. Changes in the fish fauna of the lower Missouri River, 1940–1983. Pp 166–177 in W.J. Matthews and D.C. Heins, editors. *Community and evolutionary ecology of North American stream fishes*. University of Oklahoma Press, Norman, OK.
- Pflieger, W.L. 1997. *The fishes of Missouri*, 2nd edition Jefferson City: Missouri Department of Conservation.
- Pierson, E.D., M.C. Wackenhut, J.S. Altenbach, P. Bradley, P. Call, D. Genter, C.E. Harris, B.L. Keller, B. Lengus, L. Lewis, B. Luce, K.W. Navo, J.M. Perkins, S. Smith, and L. Welch. 1999. Species conservation assessment and strategy for Townsend's big-eared bat (*Corynorhinus townsendii townsendii* and *Corynorhinus townsendii pallescens*). Idaho Department of Fish and Game, Boise, ID.
- Pillioid, D.S., E. Muths, R.D. Scherer, P.E. Bartelt, P.S. Corn, B.R. Hossack, B.A. Lambert, R. McCaffery, and C. Gaughan. 2010. Effects of amphibian chytrid fungus on individual survival probability in wild boreal toads. *Conservation Biology* 24:1259-1267.
- Platania, S.P, T.R. Cummings, and K. J. Kehmeier. 1986. First verified record of Stonecat *Noturus flavus* (Ictaluridae) in the South Platte River system, with notes on an albinistic specimen. *The Southwestern Naturalist* 31:553-555.
- Platts, W.S. 1991. Livestock grazing. In: W.R. Meehan, editor. *Influences of forest and rangeland management on salmonid fisheries and their habitats*. American Fisheries Society Special Publication 19, Bethesda, MD.
- Pocewicz, A., H.E. Copeland, M.B. Grenier, D.A. Keinath, and L.M. Waskoviak. 2014. Assessing the future vulnerability of Wyoming's terrestrial wildlife species and habitats. Report prepared by The Nature Conservancy, Wyoming Game and Fish Department, and Wyoming Natural Diversity Database.
- Poff, N.L. and J.D. Allan. 1995. Functional organization of stream fish assemblages in relation to hydrological variability. *Ecology* 76:606-627.



- Poff, N.L., J.D. Allan, M.B. Bain, J.R. Karr, K.L. Presegaard, B.D. Richter, R.E. Sparks, and J.C. Stromburg. 1997. The natural flow regime: a paradigm for river conservation and restoration. *BioScience* 47: 769-784.
- Pope, S.E., L. Fahrig, and H.G. Merriam. 2000. Landscape complementation and metapopulation effects on leopard frog populations. *Ecology* 81:2498-2508.
- Pritchard, V.L. and D.E. Cowley. 2006. Rio Grande cutthroat trout (*Oncorhynchus clarkii virginalis*): a technical conservation assessment. U.S. Forest Service, Rocky Mountain Region, Fort Collins, CO. Available: [www.fs.fed.us/r2/projects/scp/assessments](http://www.fs.fed.us/r2/projects/scp/assessments)
- Pritchard V.L., J.L. Metcalf, K. Jones, A.P. Martin, and D.E. Cowley. 2009. Population structure and genetic management of Rio Grande cutthroat trout (*Oncorhynchus clarkii virginalis*). *Conservation Genetics* 10:1209–1221.
- Propst, D.L. 1982. Warmwater fishes of the Platte River Basin, Colorado: distribution, ecology and community dynamics. PhD Dissertation, Colorado State University, Fort Collins, CO.
- Pruett, C.I., M.A. Patten and D.H. Wilfe. 2009. Avoidance Behavior by Prairie Grouse: Implications for Development of Wind Energy. *Conservation Biology*, 23:1253-1259.
- Ptacek, J.A., D.E. Rees, and W.J. Miller. 2005. Bluehead sucker (*Catostomus discobolus*): a technical conservation assessment. U.S. Forest Service, Rocky Mountain Region, Fort Collins, CO.
- Quist, M.C., W.A. Hubert, and F.J. Rahel. 2004. Relations among habitat characteristics, exotic species, and turbid-river cyprinids in the Missouri River drainage of Wyoming. *Transactions of the American Fisheries Society* 133:727-742.
- Rahel, F.J. and W.A. Hubert. 1991. Fish assemblages and habitat gradients in a Rocky Mountain-Great Plains stream: biotic zonation and additive patterns of community change. *Transactions of the American Fisheries Society* 120(3):319-332.
- Rahel, F.J. and L.A. Thel. 2004a. Flathead Chub (*Platygobio gracilis*): a technical conservation assessment. [Online]. U.S. Forest Service, Rocky Mountain Region, Denver, CO. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/flatheadchub.pdf>.

- Rahel, F.J. and L.A. Thel. 2004b. Plains Topminnow (*Fundulus sciadicus*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/plainstopminnow.pdf>
- Reed, B. and E. Billmeyer. 2010. Bear Creek habitat improvement project. Final Report. Rocky Mountain Field Institute, Colorado Springs, CO. 20 pp. Available: <http://westernnativetrout.org/sites/default/files/Bear%20Creek%20Final%20Report%202010.pdf>.
- Rees, D.E. and W.J. Miller. 2005. Rio Grande Sucker (*Catostomus plebeius*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/riograndesucker.pdf>
- Rees, D.E., J.A. Ptacek, R.J. Carr, and W.J. Miller. 2005. Flannelmouth Sucker (*Catostomus latipinnis*): a technical conservation assessment. [Online]. U.S. Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/flannelmouthsucker.pdf>.
- Rees, D.E., R.J. Carr, and W.J. Miller. 2005a. Plains Minnow (*Hybognathus placitus*): A Technical Conservation Assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/plainsminnow.pdf> [Oct 31, 2014].
- Rees, D.E., R.J. Carr, and W.J. Miller. 2005b. Rio Grande Chub (*Gila pandora*): a technical conservation assessment. [Online]. USDA Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/riograndechub.pdf>
- Rehfeldt, G.E., D.E. Ferguson, and N.L. Crookston. 2009. Aspen, climate, and sudden decline in western USA. *Forest Ecology and Management* 258:2353–2364.
- Richardson, A.D. and A.J. Friedland. 2009. A review of the theories to explain arctic and alpine treelines around the world. *Journal of Sustainable Forestry* 28:218-242.
- Rieman, B.E. and J.L. Clayton. 1997. Fire and fish: issues of forest health and conservation of native fishes. *Fisheries* 22:6-15.
- Rinne, J.N. 1996. Short-term effects of wildfire on fishes and aquatic macroinvertebrates in the Southwestern United States. *North American Journal of Fisheries Management* 16:653-658.

- Rio Grande Cutthroat Trout Conservation Team [RGCTCT]. 2013. Rio Grande cutthroat trout (*Oncorhynchus clarkii virginalis*) Conservation Strategy. Colorado Parks and Wildlife, Denver, CO.
- Ritchie, M.E. 1999. Biodiversity and reduced extinction risks in spatially isolated rodent populations. *Ecology Letters* 2:11-13.
- Robb, L.A., and M.A. Schroeder. 2005. Lesser prairie-chicken (*Tympanuchus pallidicinctus*): a technical conservation assessment. U.S. Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/lesserprairiechicken.pdf>.
- Roberts, J.J., K.D. Fausch, D.P. Peterson, and M.B. Hooten. 2013. Fragmentation and thermal risks from climate change interact to affect persistence of native trout in the Colorado River basin. *Global Change Biology* 19:1383-1398.
- Rocheftort, R.M., R.L. Little, A. Woodward, and D.L. Peterson. 1994. Changes in sub-alpine tree distribution in western North America: a review of climatic and other causal factors. *The Holocene* 4:89-100.
- Rochester C.J., C.S. Brehme, D.R. Clark, D.C. Stokes, S.A. Hathaway, and R.N. Fisher. 2010. Reptile and amphibian responses to large-scale wildfires in Southern California. *Journal of Herpetology* 44:333-351.
- Rocky Mountain Bird Observatory [RMBO]. January 2009. RMBO Playa Wetlands of Eastern Colorado. Vector digital data.
- Rogers, K.B. 2012. Piecing together the past: using DNA to resolve the heritage of our state fish. *Colorado Outdoors* 61:28-32.
- Romme, W.H., C.D. Allen, J.D. Bailey, W.L. Baker, B.T. Bestelmeyer, P.M. Brown, K.S. Eisenhart, M.L. Floyd, D.W. Huffman, B.F. Jacobs, R.F. Miller, E.H. Muldavin, T.W. Swetnam, R.J. Tausch, and P.J. Weisberg. 2009. Historical and Modern Disturbance Regimes, Stand Structures, and Landscape Dynamics in Piñon–Juniper Vegetation of the Western United States. *Rangeland Ecology and Management* 62:203–222.
- Rondeau, R., K. Decker, J. Handwerk, J. Siemers, L. Grunau, and C. Pague. 2011. The state of Colorado's biodiversity 2011. Prepared for The Nature Conservancy, Colorado Natural Heritage Program, Colorado State University, Fort Collins, CO.

- Rothstein, S.I. 1994. The Brown-headed Cowbird's invasion of the Far West: history, causes and consequences experienced by host species. Pp. 301-315 In: A Century of Avifaunal Change in Western North America. (Studies in Avian Biol., No. 15) Jehl, J.R. Jr. and N.K. Johnson, eds., Cooper Ornithological Society.
- Ruggiero, L.F., K.B. Aubry, S.W. Buskirk, G.M. Koehler, C.J. Krebs, K.S. McKelvey, J.R. Squires. 1999. Ecology and conservation of lynx in the United States. General Technical Report RMRS-GTR-30WWW. U.S. Forest Service, Rocky Mountain Research Station, Fort Collins, CO.
- Salafsky, N., D. Salzer, A.J. Stattersfield, C. Hilton-Taylor, R. Neugarten, S.H.M. Butchart, B. Collen, N. Cox, L.L. Master, S. O'Connor, and D. Wilkie. 2008. A standard lexicon for biodiversity conservation: unified classifications of threats and actions. *Conservation Biology* 22:897-911.
- Samson, F.B., F.L. Knopf, and W.R. Ostlie. 2004. Great Plains ecosystems: past, present, and future. *Wildlife Society Bulletin* 32:6-15.
- Scarnecchia, D.L. 2002. Fish communities in streams of the Little Missouri National Grasslands. Final Report to U.S. Forest Service, Dakota Prairie Grasslands, Bismark, ND.
- Scherer, R.D., E. Muths, B.R. Noon, and P.S. Corn. 2005. An evaluation of weather and disease as causes of decline in two populations of boreal toads. *Ecological Applications* 15:2150-2160.
- Scherer, R.D., E. Muths, and B.A. Lambert. 2008. Effects of weather on survival in populations of boreal toads in Colorado. *Journal of Herpetology* 42:508-517.
- Scheurer, J.A. 2001. Brassy minnow in Colorado plains streams: identification, historical distribution, and habitat requirements at multiple scales. Master's thesis. Colorado State University, Fort Collins, CO.
- Scheurer, J.A. 2002. Systematics and ecology of brassy minnow (*Hybognathus hankinsoni*) in Colorado. Master's thesis, Colorado State University, Fort Collins, CO.
- Scheurer, J.A. and K.D. Fausch. 2002. Brassy Minnow in Colorado plains streams: identification, historical distribution, and habitat requirements at multiple scales. Colorado Water Resources Research Institute. Report No. 198.

- Scheurer, J.A., K.D. Fausch, and K.R. Bestgen. 2003. Multiscale processes regulate brassy minnow persistence in a Great Plains river. *Transactions of the American Fisheries Society* 132:840-855.
- Schlaepfer, D.R., W.K. Lauenroth, and J.B. Bradford. 2014. Natural regeneration processes in big sagebrush (*Artemisia tridentata*). *Rangeland Ecology and Management* 67:344-357.
- Schlosser, I.J. 1988. Predation rates and the behavioral response of adult brassy minnows (*Hybognathus hankinsoni*) to creek chub and smallmouth bass predators. *Copeia* 1988:691-697.
- Schoettle, A.W. 2004. Ecological roles of five-needle pines in Colorado: potential consequences of their loss. Pp 124-135 In: Snieszko, R.A., S.Samman, S.E.Schlarbaum, and H.B. Kriebel, eds. *Breeding and genetic resources of five-needle pines: growth, adaptability and pest resistance*. 2001 July 23-27; Medford, OR, USA. IUFRO Working Party 2.02.15. Proceedings RMRS-P-32. U.S. Forest Service, Rocky Mountain Research Station, Fort Collins, CO.
- Schorr, R.A. 2012. Using a temporal symmetry model to assess population change and recruitment in the Preble's meadow jumping mouse (*Zapus hudsonius preblei*). *J. Mammalogy* 93:1273-1282.
- Schroeder, M. A., J. R. Young and C. E. Braun. 1999. Greater Sage-Grouse (*Centrocercus urophasianus*), *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/425>
- Schrupp, D.L., W.A. Reiners, T.G. Thompson, L.E. O'Brien, J.A. Kindler, M.B. Wunder, J.F. Lowsky, J.C. Buoy, L. Satcowitz, A.L. Cade, J.D. Stark, K.L. Driese, T.W. Owens, S.J. Russo, and F. D'Erchia. 2000. Colorado Gap Analysis Program: A Geographic Approach to Planning for Biological Diversity - Final Report, USGS Biological Resources Division, Gap Analysis Program and Colorado Division of Wildlife, Denver, CO.
- Schultz, L.D. and K.N. Bertrand. 2012. Long term trends and outlook for mountain sucker in the Black Hills of South Dakota. *The American Midland Naturalist* 167:96-110.
- Schulz, T.T. and W.C. Leininger. 1990. Differences in riparian vegetation structure between grazed areas and exclosures. *Journal of Range Management* 43:295-299.

- Scott, T.A. 1985. Human impacts on the Golden Eagle population of San Diego County. Master's Thesis. San Diego State Univ. San Diego, CA.
- Scott, M.C. and G.S. Helfman. 2001. Native invasions, homogenization, and the mismeasure of integrity of fish assemblages. *Fisheries* 26:6-15.
- Sedgwick, James A. 2000. Willow Flycatcher (*Empidonax traillii*), *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/533doi:10.2173/bna.533>
- Seglund, A.E. 2008. Status evaluation of the American pika in Colorado. Colorado Parks and Wildlife, Denver, CO.
- Seglund, A.E. and P.M Schnurr. 2009. Colorado Gunnison's and white-tailed prairie dog conservation strategy. Colorado Parks and Wildlife, Denver, CO.
- Seglund, A.E. 2011. White-tailed Ptarmigan Summary Report 2011 and Project Proposal 2012-2014, Colorado Parks and Wildlife, Denver, CO.
- Seglund, A.E. and P. Street. 2013. White-tailed Ptarmigan 2012 and 2013 Progress Report. Colorado Parks and Wildlife, Denver, CO.
- Shemai, B., R. Sallenave, and D.E. Cowley. 2007. Competition between hatchery-raised Rio Grande cutthroat trout and wild brown trout. *North American Journal of Fisheries Management* 27:315-325.
- Shinneman, D.J. and W.L. Baker. 2009. Environmental and climatic variables as potential drivers of post-fire cover of cheatgrass (*Bromus tectorum*) in seeded and unseeded semiarid ecosystems. *International Journal of Wildland Fire* 18:191-202.
- Shiozawa, D.K., M.D. McKell, B.A. Miller, and R.P. Evans. 2003. Genetic assessment of four native fishes from the Colorado River drainages in western Colorado: the results of DNA analysis. Final report Project PBA-114V, Colorado Parks and Wildlife, Denver, CO.
- Siemers, J.L., R.A. Schorr, and A.C. Rinker. 2003. Distributional survey of rare small mammals (Orders Insectivora, Chiroptera, and Rodentia) in Colorado: year one. Report to Colorado Parks and Wildlife. Colorado Natural Heritage Program, Colorado State University, Fort Collins, CO. 21 pp.

- Siemers, J.L. and R.A. Schorr. 2006. Distributional surveys of rare small mammals (orders Insectivora, Chiroptera, and Rodentia) in Colorado: year two. Colorado Natural Heritage Program, Colorado State University, Fort Collins, CO. 28 pp.
- Silvy, N.J. and C.A. Hagen. 2004. Introduction: management of imperiled prairie grouse species and their habitat. *Wildlife Society Bulletin* 32:2-5.
- Simonin, K.A. 2001. *Atriplex confertifolia*. In: Fire Effects Information System [Online]. U.S. Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). Available: <http://www.fs.fed.us/database/feis/>.
- Simpson, Z.R. and J.D. Lusk. 1999. Environmental contaminants in aquatic plants, invertebrates, and fishes of the San Juan River mainstem, 1990-1996. San Juan River Recovery Implementation Program.
- Slough, B.G. and G. Mowat. 1996. Lynx population dynamics in an untrapped refugium. *Journal of Wildlife Management* 60:946-961.
- Smith, W.K., M.J. Germino, T.E. Hancock, and D.M. Johnson. 2003. Another perspective on altitudinal limits of alpine timberlines. *Tree Physiology* 23:1101-1112.
- Snyder, D.E. 1981. Contributions to a guide to the Cypriniform fish larvae of the Upper Colorado River system in Colorado. U.S. Bureau of Land Management, Denver, CO. 81 pp.
- Sovell, J.R. 2007. A species distribution model for the triploid checkered whiptail (*Aspidoscelis neotesselata*) in southeastern Colorado. Colorado Natural Heritage Program, Colorado State University, Fort Collins, CO.
- Spaulding, S. and L. Elwell. 2007. Increase in nuisance blooms and geographic expansion of the freshwater diatom *Didymosphenia geminata*: recommendations for response. White Paper for the Environmental Protection Agency and Federation of FlyFishers. Available: <http://www.epa.gov/region8/water/didymosphenia/White%20Paper%20Jan%202007.pdf>
- Stagliano, D.M. 2001. Aquatic invertebrate and fish communities of tallgrass prairie streams: bioindicators, secondary production and bioenergetics. Master's Thesis, Kansas State University, Manhattan, KS. 140 pp.
- Stasiak, R.H. 1976. Updated distributional records for Nebraska fishes. Page 27 in Proceedings of the Nebraska Academy of Sciences and Affiliated Societies, Lincoln, NE.

- Stasiak, R.H. 1987. The minnows and killifish. Pp 56-64 in The Fish Book. Nebraskaland Special Publication for January-February 1987. Lincoln, NE.
- Stasiak, R.H. 1989. The fishes of Agate Fossil Beds National Monument, 1979-1989. Report to U.S. National Park Service, Scotts Bluff, NE.
- Stasiak, R.H. 2006. Northern redbelly dace (*Phoxinus eos*): a technical conservation assessment. U.S. Forest Service, Rocky Mountain Region, Lakewood, CO. 42 p.
- Stasiak, R.H. 2007. Southern Redbelly Dace (*Phoxinus erythrogaster*): a technical conservation assessment. [Online]. U.S. Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/southernredbellydace.pdf>
- Storch, I., compiler. 2000. Grouse status survey and conservation action plan 2000–2004. WPA/BirdLife/SSC Grouse Specialist Group. International Union for the Conservation of Nature and Natural Resources, Gland, Switzerland, and World Pheasant Association, Reading, United Kingdom.
- Storz, J.F. 1995. Local distribution and foraging behavior of the spotted bat (*Euderma maculatum*) in northwestern Colorado and adjacent Utah. Great Basin Naturalist 55:78-83.
- Stromberg, J.C. and M.K. Chew. 2002. Foreign visitors in riparian corridors of the American Southwest: is xenophytophobia justified? Pp 195–219 in B.Tellman, editor. Invasive exotic species in the Sonoran region. University of Arizona Press, Tucson, AZ.
- Subcommittee on Rocky Mountain Greater Sandhill Cranes [SRMGSC]. 2007. Management plan of the Pacific and Central Flyways for the Rocky Mountain population of greater sandhill cranes. [Joint] Subcommittees, Rocky Mountain Population Greater Sandhill Cranes, Pacific Flyway Study Committee, Central Flyway Webless Migratory Game Bird Tech. Committee [c/o USFWS, MBMO], Portland, OR. 97pp
- Sueltenfuss, J.P., D.J. Cooper, R.L. Knight, and R.M. Waskom. 2013. The creation and maintenance of wetland ecosystems from irrigation canal and reservoir seepage in a semi-arid landscape. Wetlands 33:799-810.
- Sweet, D.E., R.I. Compton, and W.A. Hubert. 2009. Age and growth of Bluehead Suckers and Flannelmouth Suckers in headwater tributaries, Wyoming. Western North American Naturalist 69:35-41.



- Swift-Miller, B.M. Johnson, R.T. Muth, and D. Langlois. 1999. Distribution, abundance, and habitat use of Rio Grande Sucker (*Catostomus plebeius*) in Hot Creek, Colorado. *The Southwestern Naturalist* 44:42-48.
- Swift-Miller, S.M., B.M. Johnson, and R.T. Muth. 1999a. Factors affecting the diet and abundance of northern populations of Rio Grande sucker (*Catostomus plebeius*). *The Southwestern Naturalist* 44:148-156.
- Swift-Miller, S.M, B.M. Johnson, R.T. Muth, and D. Langlois. 1999b. Distribution, abundance, and habitat use of Rio Grande Sucker (*Catostomus plebeius*) in Hot Creek, Colorado. *The Southwestern Naturalist* 44:42-48.
- Tausch R. J. 1999. Historic pinyon and juniper woodland development. Pp12-19 In: S. B. Monsen and R. Stevens [eds.]. *Proceedings of the Conference on Ecology and Management of Pinyon-Juniper Communities within the Interior West*. Ogden, Utah, USA: U.S. Forest Service, Rocky Mountain Research Station, Fort Collins, CO.
- The Nature Conservancy [TNC]. In prep. Colorado Freshwater Measures Report.
- The Nature Conservancy [TNC]. 2012. Freshwater measures of condition for Colorado. Geodatabase.
- Theobald, D.M. 2005. Landscape patterns of exurban growth in the USA from 1980 to 2020. *Ecology and Society* 10:32.
- Thomas, D.W. 1995. Hibernating bats are sensitive to nontactile human disturbance. *Journal of Mammalogy* 76:940-946.
- Tomelleri, J.R. and M.E. Eberle. 1990. *Fishes of the Central United States*. University Press of Kansas. 226 pp.
- Trial, J.G, C.S. Wade, J.G. Stanley, and P.C. Nelson. 1983. Habitat suitability information: Common shiner. U.S. Fish and Wildlife Service FWS/OBS-82/10.40. 22 pp.
- Trimble, S.W. and A.C. Mendel. 1995. The cow as a geomorphic agent – a critical review. *Geomorphology* 13:233-253.
- Trombulak, S.C. and C. Frissell. 2000. A review of the ecological effects of roads on terrestrial and aquatic ecosystems. *Conservation Biology* 14:18-30.

- Tyus, H.M. 1991. Ecology and management of Colorado squawfish. Pp 379–402 in W.L. Minckley and J.E. Deacon (eds.). *Battle against extinction: native fish management in the American west*. The University of Arizona Press, Tucson, AZ.
- Tyus, H. M. and C. W. McAda. 1984. Migration, movements and habitat preferences of Colorado Squawfish, *Ptychocheilus lucius*, in the Green, White and Yampa Rivers, Colorado and Utah. *The Southwestern Naturalist* 29:289-299.
- Tyus, H.M., R.L. Jones, and L.A. Trinca. 1987. Green River fare and endangered fish studies, 1982–1985. Final Report. U.S. Fish and Wildlife Service, Vernal, UT.
- Tyus, H.M. and J.F. Saunders III. 2000. Nonnative fish control and endangered fish recovery: lessons from the Colorado River. *Fisheries* 25:17-24.
- Upper Colorado River Endangered Fish Recovery Program [UCREFRP]. 2004. Nonnative fish management policy.
- Upper Colorado River Endangered Fish Recovery Program [UCREFRP]. 2012. Study plan to examine the effects of using larval razorback sucker occurrence in the Green River as a trigger for Flaming Gorge Dam peak releases. 24p.
- U.S. Census Bureau. 2014. Population estimates for Douglas County, Colorado. Accessed Oct. 28, 2014. Available: <http://quickfacts.census.gov/qfd/states/08/08035.html>
- U.S. Department of Agriculture. 2014. Final environmental impact statement, Green River diversion rehabilitation project. Available: [http://www.nrcs.usda.gov/wps/portal/nrcs/detail/ut/programs/planning/ewpp/?cid=nrcs141p2\\_034037](http://www.nrcs.usda.gov/wps/portal/nrcs/detail/ut/programs/planning/ewpp/?cid=nrcs141p2_034037).
- U.S. Department of Interior. 1994. Rangeland reform 1994, Draft environmental impact statement. Bureau of Land Management, Washington, D.C.
- U.S. Department of the Interior. 1995. Operation of Glen Canyon Dam: final environmental impact statement. U.S. Bureau of Reclamation, Salt Lake City, UT.
- U.S. Fish and Wildlife Service. 1998a. Greenback cutthroat trout recovery plan. U.S. Fish and Wildlife Service, Denver, CO.
- U.S. Fish and Wildlife Service. 1998b. Razorback sucker recovery plan. U.S. Fish and Wildlife Service, Region 6, Denver, CO.

- U.S. Fish and Wildlife Service. 2002a. Southwestern Willow Flycatcher Recovery Plan. Albuquerque, New Mexico. i-ix+ 210 pp., Appendices A-O.
- U.S. Fish and Wildlife Service. 2002b. Bonytail (*Gila elegans*) Recovery Goals: amendment and supplement to the Bonytail Chub Recovery Plan. U.S. Fish and Wildlife Service, Mountain-Prairie Region (6), Denver, CO.
- U.S. Fish and Wildlife Service. 2002c. Colorado pikeminnow (*Ptychocheilus lucius*) Recovery Goals: amendment and supplement to the Colorado Squawfish Recovery Plan. U.S. Fish and Wildlife Service, Mountain-Prairie Region, Denver, CO.
- U.S. Fish and Wildlife Service. 2002d. Humpback chub (*Gila cypha*) Recovery Goals: amendment and supplement to the Humpback Chub Recovery Plan. U.S. Fish and Wildlife Service, Mountain-Prairie Region (6), Denver, CO. Valdez and Ryel. 1995.
- U.S. Fish and Wildlife Service. 2002e. Razorback sucker (*Xyrauchen texanus*) Recovery Goals: amendment and supplement to the Razorback Sucker Recovery Plan. U.S. Fish and Wildlife Service, Mountain-Prairie Region (6), Denver, CO.
- U. S. Fish and Wildlife Service. 2004. Prairie Grouse Leks and Wind Turbines: U.S. Fish and Wildlife Service Justification for a 5-Mile Buffer from Leks; Additional Grassland Songbird Recommendations. Briefing Paper.
- U.S. Fish and Wildlife Service. 2005. Endangered and Threatened Wildlife and Plants; 90-Day Finding on a Petition To List a Distinct Population Segment of the Roundtail Chub in the Lower Colorado River Basin and To List the Headwater Chub as Endangered or Threatened With Critical Habitat. Federal Register Vol. 70, No. 132, Tuesday, July 12, 2005.
- U.S. Fish and Wildlife Service. 2008. 73 FR 27900.
- United State Fish and Wildlife Service. 2009. U.S. Fish and Wildlife Service Spotlight Species Action Plan: Black-footed Ferret.
- U.S. Fish and Wildlife Service. 2010. Draft Preble's meadow jumping mouse recovery plan.
- U.S. Fish and Wildlife Service. 2011a. Draft Eagle Conservation Plan Guidance.

- U.S. Fish and Wildlife Service. 2011b. Colorado Pikeminnow (*Ptychocheilus lucius*) 5-Year Review: Summary and Evaluation. Upper Colorado River Endangered Fish Recovery Program. Denver, CO. Accessed Nov 10, 2014. Available: <http://www.coloradoriverrecovery.org/documents-publications/foundational-documents/recoverygoals/CPM5-yearStatusReview.pdf>.
- U.S. Fish and Wildlife Service. 2012. Endangered and Threatened Wildlife and Plants; 90-Day Finding on a Petition To List Desert Massasauga as Endangered or Threatened and To Designate Critical Habitat. Federal Register 77 (154:47583-57587).
- U.S. Fish and Wildlife Service. 2013a. Eagle Conservation Plan Guidance Module 1 – Land-based Wind Energy Version 2. U.S. Fish and Wildlife Service Division of Migratory Bird Management.
- U.S. Fish and Wildlife Service. 2013b. Endangered and threatened wildlife and plants; determination of endangered status for the New Mexico meadow jumping mouse throughout its range. Federal Register 79:33119-33137.
- U.S. Fish and Wildlife Service. 2013c. Endangered and threatened wildlife and plants: on a petition to list the North American wolverine as endangered or threatened. Federal Register 78(23):7890.
- U.S. Fish and Wildlife Service. 2013d. Endangered and Threatened Wildlife and Plants; Review of Native Species that are Candidates for Listing as Endangered or Threatened; Annual Notice of Findings on Resubmitted Petitions; Annual Description of Progress on Listing Actions. Federal Register Vol. 78, No. 226, Friday, November 22, 2013.
- U.S. Fish and Wildlife Service. 2013e. Greater Sage-grouse (*Centrocercus urophasianus*) Conservation Objectives: Final Report. U.S. Fish and Wildlife Service, Denver, CO. February 2013.
- U.S. Fish and Wildlife Service. 2013f. Species Assessment and Listing Priority Assignment Form for Plains topminnow. August 15, 2013. Available: <https://ecos.fws.gov/docs/misc/doc4318.pdf>
- U.S. Fish and Wildlife Service. 2014a. Endangered and Threatened Wildlife and Plants; Threatened Status for the Gunnison Sage-grouse (*Centrocercus minimus*); Final Rule. Federal Register Vol. 79 (224:691922- 69310).

- U.S. Fish and Wildlife Service. 2014b. Endangered and Threatened Wildlife and Plants; Proposed Threatened Status for the Western Distinct Population Segment of the Yellow-billed Cuckoo (*Coccyzus americanus*); Final Rule. Federal Register 79 (192:59992-60038).
- U.S. Fish and Wildlife Service. 2014c. Endangered and Threatened Wildlife and Plants; 12-Month Finding on a Petition To List Rio Grande Cutthroat Trout as an Endangered or Threatened Species. Docket No. FWS-R2-ES-2014-0042; 4500030113.
- U.S. Fish and Wildlife Service. 2014d. Final Summary Report: Greenback Cutthroat Trout Genetics and Meristics Studies Facilitated Expert Panel Workshop. USFWS Region 6, Lakewood, CO, Order No. F13PB00113. Accessed Nov 6, 2014. Available: <http://cpw.state.co.us/Documents/Research/Aquatic/CutthroatTrout/2014GreenbackCutthroatTroutWorkshopSummary.pdf>.
- U.S. Geological Service National Gap Analysis Program. 2004. Provisional Digital Land Cover Map for the Southwestern United States. Version 1.0. RS/GIS Laboratory, College of Natural Resources, Utah State University.
- Utah Division of Wildlife Resources. 2000. Genetic considerations associated with cutthroat trout management. Publication Number 00-26. Utah Division of Wildlife Resources. Salt Lake City, Utah. 9 pp.
- Utah Wildlife in Need (UWIN). 2010. Contemporary knowledge and research needs regarding the potential effects of tall structures on Sage-grouse (*Centrocercus urophasianus* and *C. minimus*). Utah Wildlife in Need Cooperative, Salt Lake City, UT.
- Valdez, R.A., and R.J. Ryel. 1995. Life history and ecology of the humpback chub (*Gila cypha*) in the Colorado River, Grand Canyon, Arizona. Final Report to Bureau of Reclamation, Salt Lake City, Utah. Contract No. 0-CS-40-09110. Bio/West Report No. TR-250-08. 286p.
- Valdez, R.A., and R.J. Ryel. 1997. Life history and ecology of the humpback chub in the Colorado River in Grand Canyon, Arizona. Pp 3-31 in C. van Riper, III and E.T. Deshler (eds.). Proceedings of the Third Biennial Conference of Research on the Colorado Plateau. National Park Service Transactions and Proceedings Series 97/12.
- Valentine, B.A., T.A. Roberts, S.P. Boland, and A.P. Woodman. 1988. Livestock management and productivity of willow flycatchers in the central Sierra Nevada. Trans. W. Sec., Wild. Soc. 24:105-114.

- Van Horn, D.J., C.S. White, E.A. Martinez, C. Hernandez, J.P. Merrill, R.R. Parmenter, and C.N. Dahm. 2012. Linkages between riparian characteristics, ungulate grazing, and geomorphology and nutrient cycling in montane grassland streams. *Rangeland Ecology and Management* 65:475-485.
- Van Pelt, W.E., S. Kyle, J. Pitman, D. Klute, G. Beauprez, D. Schoeling, A. Janus, J. Haufler. 2013. The Lesser Prairie-Chicken Range-wide Conservation Plan. Western Association of Fish and Wildlife Agencies. Cheyenne, WY. 367pp.
- Van Steeter, M.M., and J. Pitlick. 1998. Geomorphology and endangered fish habitats of the upper Colorado River: Historic changes in streamflow, sediment load, and channel morphology. *Water Resources Research* 34:287-302.
- Vanicek, C.D., and R. Kramer. 1969. Life history of the Colorado squawfish, *Ptychocheilus lucius*, and the Colorado chub, *Gila robusta*, in the Green River in Dinosaur National Monument, 1964-1966. *Transactions of the American Fisheries Society* 98:193-208.
- Vanicek, C.D., R.H. Kramer, and D.R. Franklin. 1970. Distribution of Green River fishes in Utah and Colorado following closure of Flaming Gorge Dam. *Southwestern Naturalist* 14(3):298-315.
- Walker, B.L., D.E. Naugle, and K.E. Doherty. 2007. Greater sage-grouse population response to energy development and habitat loss. *Journal of Wildlife Management* 71:2644-2654.
- Walker, J.M., J. E. Cordes and H. L. Taylor. 1996. Extirpation of the parthenogenetic lizard *Cnemidophorus tesselatus* from historically significant sites in Pueblo County, Colorado. *Herpetological Review* 27:16-17.
- Walker, J.M., H.L. Taylor, J.E. Cordes and M.A. Paulissen. 1997. Distributional relationships and community assemblages of three members of the parthenogenetic *Cnemidophorus tesselatus* complex and *C. sexlineatus* (Squamata: Teiidae) at Higbee, Otero County, Colorado. *Herpetological Natural History* 5:69-78.
- Walker, J.M., H.L. Taylor, G.J. Manning, J.E. Cordes, C.E. Montgomery, L.J. Livo, S. Keefer, and C. Loeffler. 2012. Michelle's lizard: identity, relationships, and ecological status of parthenogenetic lizards (Genus *Aspidocelis*: Squamata: Teiidae) in Colorado, USA. *Herpetological Conservation and Biology* 7: 227-248.

- Walters, D.M., R. Zuellig, H.J. Crockett, J.F. Bruce, P.M. Lukacs, and R.M. Fitzpatrick. 2014. Barriers impede upstream spawning migration of Flathead Chub. *Transactions of the American Fisheries Society* 143:17-25.
- Wang, G., N.T. Hobbs, K.M. Giesen, H. Galbraith, D.S. Ojima, and C.E. Braun. 2002. Relationship between climate and population dynamics of white-tailed ptarmigan *Lagopus leucurus* in Rocky Mountain National Park, Colorado. *Climate Research* 23:81-87.
- Ward, D.L., O.E. Maughan, S.A. Bonar, and W.J. Matter. 2002. Effects of temperature, fish length, and exercise on swimming performance of age-0 flannelmouth sucker. *Transactions of the American Fisheries Society* 131:492-497.
- Ward, D. 2005. Collection of Asian Tapeworm (*Bothriocephalus acheilognathi*) from the Yampa River, Colorado. *Western North American Naturalist* 65:403-404.
- Warnecke L., J.M. Turner, T.K. Bollinger, J.M. Lorch, V. Misra, P.M. Cryan, G. Wibbelt, D.S. Blehert, C.K.R. Willis. 2012. Inoculation of a North American bat with European *Geomyces destructans* supports the novel pathogen hypothesis for the origin of white-nose syndrome. *Proceedings of the National Academy of Sciences USA* 109:6999-7003.
- Webber, P.A., P.D. Thompson, and P. Budy. 2012. Status and structure of two populations of Bluehead Sucker (*Catostomus discobolus*) in the Weber River, Utah. *The Southwestern Naturalist* 57:267-276.
- Weitzel, D.L. 2002a. Conservation and status assessments for the bluehead sucker (*Catostomus discobolus*), flannelmouth sucker (*Catostomus latipinnis*), roundtail chub (*Gila robusta*), and leatherside chub (*Gila copei*): rare fishes west of the Continental Divide, Wyoming. Wyoming Fish and Game Department, Cheyenne, WY.
- Weitzel, D.L. 2002b. Conservation and status assessments for the finescale dace (*Phoxinus neogaeus*), pearl dace (*Margariscus margarita*), and plains topminnow (*Fundulus sciadicus*): Rare native fish species of the Niobrara and Platte Basins, Wyoming. Wyoming Fish and Game Department, Cheyenne, WY.
- West, N. E. 1999. Distribution, composition, and classification of current Juniper-Pinyon woodlands and savannas across western North America. Pages 20-23 in S. B. Monsen and R. Stevens, eds., *Proceedings: ecology and management of pinyon-juniper communities within the Interior West*. U.S. Dept. Agric., Forest Service, Rocky Mountain Research Station, Proc. RMRS-P-9 Ogden, UT . 411.

- West, B.C. and T.A. Messmer. 2006. Effects of livestock grazing on duck nesting habitat in Utah. *Rangeland Ecology and Management* 59:208-211.
- Westerling, A.L., H.G. Hidalgo, D.R. Cayan and T.W. Swetman. 2006. Warming and earlier spring increase western U.S. forest wildfire activity. *Science* 313:940-943.
- White, J. 2008. 2008 Dolores River update. Presentation to the Dolores River Dialogue. Colorado Parks and Wildlife, Denver, CO. Available: <http://ocs.fortlewis.edu/drd/pdf/2008%20Dolores%20River%20UpdateJIMWHITECDOW1028PP.pdf>
- White, S.K., J.E. Brummer, J.E. Leininger, G.W. Fraasier, R. M. Waskom, and T.A. Bauder. 2003. Irrigated mountain meadow fertilizer application timing effects on overland flow water quality. *Journal of Environmental Quality* 32:1802-1808.
- Wick, E.J., T.A. Lytle, and C.M. Haynes. 1981. Colorado squawfish and humpback chub population and habitat monitoring, 1979–1980. *Endangered Wildlife Investigations*, Colorado Parks and Wildlife, Denver, CO.
- Wick, E.J., C.W. McAda, and R.V. Bulkley. 1982. Life history and prospects for recovery of the razorback sucker. Pp 120-126 in: W.H. Miller, H.M. Tyus, and C.A. Carlson (editors). *Fishes of the upper Colorado River system: present and future*. American Fisheries Society, Bethesda, MD.
- Williams, J.E., A.L. Haak, H.M. Neville, and W.T. Colyer. 2009. Potential consequences of climate change to persistence of cutthroat trout populations. *North American Journal of Fisheries Management* 29:533–548.
- Wisely, S.M., S.W. Buskirk, M.A. Fleming, D.B. McDonald, and E.A. Ostrander. 2002. Genetic diversity and fitness in black-footed ferrets before and during a bottleneck. *Journal of Heredity* 93:231-237.
- Wohl, E. 2005. *Compromised Rivers: Understanding Historical Human Impacts on Rivers in the Context of Restoration*. *Ecology and Society* 10:2.
- Wohl, E. 2006. Human impacts to mountain streams. *Geomorphology* 79:217-248.
- Wohl, E., D. Egenhoff, and K. Larkin. 2009. Vanishing riverscapes: a review of historical channel change on the western Great Plains. Pages 131-142 *in* James, L.A., S.L. Rathburn, and G.R.



- Whittecar, eds., Management and Restoration of Fluvial Systems with Broad Historical Changes and Human Impacts: Geological Society of America Special Paper 451.
- Woodling, J. 1985. Colorado's Little Fish: A Guide to the Minnows and Other Lesser Known Fishes in the State of Colorado. Colorado Parks and Wildlife, Denver, CO. 77 pp.
- Woodling, J. 1995. Historic fisheries records: Alamosa River. Proceedings: Summitville Forum '95, H.H. Posey, J.A. Pendleton, and D. Van Zyl eds. Special Publication of the Colorado Geological Survey, Denver, CO.
- Woods, M., R.A. McDonald, and S. Harris. 2003. Predation of wildlife by domestic cats *Felis catus* in Great Britain. *Mammalian Review* 3:174-188.
- Woodward, J. 2002. The influence of diet, habitat and recreational shooting of prairie dogs on burrowing owl demography. Master's Thesis, Colorado State University, Fort Collins, CO.
- Worrall J.J., L. Egeland, T. Eager, R. Mask, E. Johnson, P.A. Kemp, and W.D. Sheppard. 2008. Rapid mortality of *Populus tremuloides* in southwestern Colorado, USA. *Forest Ecology and Management* 255:686-696. <http://dx.doi.org/10.1016/j.foreco.2007.09.071>.
- Worrall, J.J., G.E. Rehfeldt, A. Hamann, E.H. Hogg, S.B. Marchetti, M. Michaelian, and L.K. Gray. 2013. Recent declines of *Populus tremuloides* in North America linked to climate. *Forest Ecology and Management* 229:35-51.
- Wright, F.B. 2011. The status of Northern Redbelly Dace in ponds along Garber Creek on Pine Cliff Ranch. Colorado Parks and Wildlife, Denver, CO. 12 pp.
- Yackulic, C.B., M.D. Yard, J. Koman, and D.R. Van Haverbeke. 2014. A quantitative life history of endangered humpback chub that spawn in the Little Colorado River: variation in movement, growth, and survival. *Ecology and Evolution* 1006-1018.
- Young M.K. 2008. Colorado River Cutthroat Trout: a technical conservation assessment. U.S. Forest Service, Rocky Mountain Region, Fort Collins, CO.
- Young, M.K. 2009. Greenback Cutthroat Trout (*Oncorhynchus clarkii stomias*): a technical conservation assessment. [Online]. U.S. Forest Service, Rocky Mountain Region. Available: <http://www.fs.fed.us/r2/projects/scp/assessments/greenbackcutthroattrout.pdf>

Ziegler, M.P, A.S. Todd, and C.A. Caldwell. 2012. Evidence of recent climate change within the historic range of Rio Grande Cutthroat Trout: implications for management and future persistence. *Transactions of the American Fisheries Society* 141(4):1045-1059.

Zuckerman, L.D. and D. Langlois. 1990. Status of Rio Grande sucker and Rio Grande chub in Colorado. Unpublished report, Colorado Parks and Wildlife, Montrose, CO. 44 pp.